Poultry Science
Index to Authors and Subjects
Volume 59
1980

Published by
Poultry Science Association
309 West Clark Street
Champaign, Illinois 61820

INDEX

UMI

Index of Authors

A

Abdullah, R. B., 900
Abplanalp, H., 1353, 2145
Adams, A. W., 215
Adams, C. J., 937
Adams, R. L., 2322
Adler, H. E., 28
Aire, T. A., 453
Alby, L. J., 240
Allen, N. K., 2029
Al-Rawi, B. A., 654, 1546
Anderson, D. L., 961, 1335
Anderson, J. O., 2480, 2485
Andrews, L. D., 489, 2080
Ansah, G. A., 428, 1912
Antoniou, T., 758
Arhienbuwa, F. E., 28
Arntfield, S., 1229
Arscott, G. H., 971, 2744
Ashoor, F. A., 1423
Austic, R. E., 951

B

Bacon, W. L., 444, 563, 1694, 1953
Bailey, J. S., 2431
Bains, B. S., 63
Bair, C. W., 666
Bajjalieh, N., 328
Baker, D. H., 404, 1099, 1246 2538
Baker, R. C., 289, 545, 1067
Bakst, M. R., 2793
Balander, R. J., 624, 1943
Balloun, S. L., 224
Barbato, G. F., 1951
Barnas, G. M., 468
Barrette, J. P., 805, 808
Bartov, I., 264, 1328, 1818, 1864, 2256, 2290, 2470
Bates, F., 531
Bauer, K. D., 1493
Baumgart, P. J., 1783
Beane, W. L., 1550
Beasley, J. N., 708, 2055
Beck, J. R., 1193, 1197
Becker, W. A., 298, 945, 1977, 2462
Bee, D. E., 1090
Beerwinkle, K. R., 1226, 2198
Begin, J. J., 2692
Behrends, B. R., 849
Beirne, M. J., 2256
Bell, D. D., 937
Benazet, F., 1405
Benderwald, D. L., 1036
Benoff, F. H., 424, 1677, 1682, 2559
Bentley, E. J., 1722, 1731
Berg, L. R., 1860
Berry, J. G., 1211, 2207
Beveridge, T., 1229
Biely, J., 333
Bilezikian, J. P., 628
Bishawi, K. O., 2111
Bitgood, J. J., 1686, 2179
Bitman, J., 2014
Blalock, L. D., 708
Blohowiak, C. C., 1215
Blum, J. C., 2189
Boone, M. A., 2532
Booth, N. H., 1018
Bornstein, S., 264, 2290, 2470
Bovard, K. P., 2725
Bowers, J. A., 303
Boyd, R. L., 2782
Bradley, J. W., 1082, 1745
Bragg, D. B., 155, 325, 333, 1812, 2088, 2225
Brake, J., 681
Brard, E., 643
Brewer, R. N., 506, 1006
Briles, W. E., 1686
Britton, W. M., 1989, 2403
Brown, H. B., 2583
Brown, J., 1221
Brown, K. I., 444
Brown, R. D., Jr., 845
Buckland, R. B., 428, 1912
Burdick, D., 2355
Burger, R. E., 2654
Burke, D. W., 572
Burke, W. H., 1126
Burrows, P. M., 500
Bush, P. B., 1018
Buss, E. G., 168, 874, 880, 885, 2342, 2776
Byerly, T. C., 2500

C

Cahaner, A., 1353
Cain, J. R., 2760
Cantor, A. H., 563
Cardini, G., 1471
Carew, L. B., Jr., 647, 812, 918, 1090, 2771
Carlson, C. W., 2519
Carson, M. O., 2431
Cartier, J. R., 1405
Castrovilli, C. R., 662
Cave, N. A., 799
Chaloupka, G. W., 576, 1755, 2697
Chami, D. B., 569
Chang, T. S., 1193, 1197
Charoenpong, C., 537
Chaudhuri, M., 1736
Cheeke, P. R., 2744
Chen, T. C., 537
Cheng, K. M., 1970, 2179
Cherry, J. A., 1550, 1951
Chi, M. S., 531
Childs, G. R., 1442, 1460
Choi, J. H., 1897
Christensen, A. C., 2480, 2485
Chung, J.K.L., 1229
Chute, M. B., 697
Ciegler, A., 1203
Cipera, J. D., 635, 1529, 2787
Cirafesi, J., 1706
Clagett, C. O., 874, 880, 2776
Clandinin, D. R., 396
Clark, C. H., 2782
Clark, K. K., 523
Classen, H. L., 2373
Clegg, R. E., 2267
Cogburn, L. A., 1132, 2574
Cole, R. K., 951
Collins, W. M., 523, 1172
Combs, G. F., Jr., 347
Conan, L., 2412
Coon, C. N., 86, 1109, 2250
Corbett, A. C., 1172
Covey, R. C., 2456
Cox, N. A., 2431
Craig, J. V., 215
Cravens, W. W., 1442, 1460
Crawley, S. W., 2243
Creger, C. R., 1499, 2307
Crober, D. C., 428, 1912
Cross, D. L., 500
Crossley, J., 2331
Cunningham, F. E., 2247, 2449
Currin, T. A., 2514
Czarnecki, C. M., 1510, 1515

D

Daghir, N. J., 1807, 2273
Dale, N. M., 1434, 1941, 2417, 2492
Dam, R., 383
Damron, B. L., 82, 673, 1284
Damron, R. A., Jr., 1335
Darfler, J. M., 545
Darre, M. J., 2574
David, D., 1183
Davis, C. E., 69
Dawson, L. E., 1043, 1053, 1788
Day, E. J., 91, 1324
Day, R. M., 2754
Dayton, A. D., 303
Dean, W. F., 1027
Deaton, J. W., 486, 1342, 2680
Demmitt, M. E., 1036
Denton, J. H., 743, 966
DeShazer, J. A., 468

DeVaney, J. A., 34, 1208, 1226, 1742, 1745, 2198
De Yong, W. W., 268
Dhillon, A. S., 240
Dickerson, G. E., 1155
Dietert, R. R., 1706
DiFiore, L., 1471
Dilworth, B. C., 91
Dobson, D. B., 2480
Doerr, J. A., 1750, 1995
Doisy, K. E., 2424
Dommermuth, C. H., 205
Doran, B. H.,1082, 1745
Dorrell, H. G., 605
Drott, J. H., 724, 1548
DuBoise, R. T., 205, 516
Duke, G. E., 1925
Dunlop, W. R., 1172
Dupuy, H. P., 2348

E

Earl, L., 1832, 2361
Eaton, J. A., Jr., 921
Edgar, S. A., 38, 506, 1006, 1145
Edwards, H. M., Jr., 234, 1280
Eidson, C. S., 54, 702, 976, 2708
Eiler, H., 2331
Eisner, U., 2290
El-Begearmi, M. M., 2216
El Boushy, A. R., 115
El Halawani, M. E., 1126
El Husseiny, O., 2307
Emsley, A., 1155
English, L. M., 2424
Enos, H. L., 1824
Essary, E. S., 2725
Evanson, O. A., 1510, 1925

F

Fabijanska, I., 2336
Fadly, A. M., 21
Fagerberg, D. J., 664, 714
Fairfull, R. W., 941
Fanguy, R. C., 1215
Featherston, W. R., 1878, 1885
Fedde, M. R., 914, 921, 2642
Ferrando, G., 2331
Fidler, J. W., 135, 141
Fiser, P. S., 941
Fletcher, D. L., 731, 1059, 1350, 2256
Fletcher, O. J., 54, 2666
Floto, F., 2312
Foehse, M. C., 2424
Foss, D. C., 647, 812, 918, 1090, 2771
Fox, T. W., 2391
Frankenfeld, J. W., 2098
Free, R. K., 2581
Fritz, J. C., 1455
Fujihara, N., 164
Fuller, H. L., 1434, 1941, 2121, 2417, 2492
Fuquay, J. I., 2525

G

Gammon, D. E., 628
Ganther, H. E., 2216
Gardner, F. A., 743, 966
Garwood, V. A., 677, 1985
Gaskins, C. T., 985
Gavora, J. S., 2165
Gawron, M. F., 2369
Geis, E., 1485
Gelatt, K. N., 2179
Gelb, J., 2708
Gerry, R. W., 211, 2365
Giambrone, J. J., 38, 54, 1715
Giesen, A. F., III, 2544
Gildersleeve, R. P., 900
Gill, B. S., 172
Gill, T. A., 2088
Givens, S. V., 268, 1145
Gleaves, E. W., 2581
Glick, B., 616, 669, 1324, 2151
Goble, J. W., 737
Goetsch, D. D., 1018
Goff, J. P., 289, 1067
Golan, F. A., 966
Good, A. L., 1515
Gould, N. R., 1935
Gous, R. M., 2500
Gowe, R. S., 1155, 2165
Granath, W. O., Jr., 996
Grau, C. R., 1777
Gray, B. W., 1006
Grewal, G. S., 172
Griffin, R. M., 412
Griminger, P., 1493
Gross, W. B., 1, 205, 516, 1947
Grover, R. M., 961, 1335
Grunder, A. A., 874, 880, 1316, 2776
Guillaume, J., 2189
Guinan, J. F., 224
Gum, G. G., 2179
Guyer, R. B., 874, 880, 885, 2776

H

Hale, K. K., Jr., 2243
Hall, J. W., 2237
Hall, M. A., 1795
Hall, M. F., 673
Hall, R. D., 2424
Hall, R. W., 205
Halloran, H. R., 1552
Hamilton, P. D., 1203
Hamilton, R.M.G., 119, 598, 1294
Hanks, R. L., 1337
Hardin, R. T., 396, 550, 558, 2437, 2444
Hargis, P. H., 1499
Harms, R. H., 82, 470, 673, 1284, 1350, 1897, 2077
Harper, A. E., 1073
Harris, D. L., 2165
Harris, G. C., Jr., 1901
Harrison, P. C., 1132, 2574
Harvey, S., 159
Harvey, W. R., 1375
Hawrysh, Z. J., 550, 558, 2437, 2444
Heady, E. O., 224
Heath, J. L., 737, 2456
Hein, M. B., 494
Heinzelmann, E. W., 1172
Hellewell, A. B., 563
Hembree, D. J., 215
Henry, C. W., 506, 1006
Hester, P. Y., 2322, 2336
Hill, A. T., 2237
Hinshaw, V. L., 258
Ho, S. K., 2065
Ho-A, E., 2024
Hoepner, P. H., 1395
Holbrook, D. M., 2348
Holder, D. P., 2355
Hollands, K. G., 1316
Hollister, A. G., 2160
Holsheimer, J. P., 2060
Hooge, D. M., 1907
Hopkins, W., 743
Hotchkiss, D. K., 666
Houvenaghel, A., 2803
Howarth, B., Jr., 164, 1311
Huberty, B. J., 1925
Huff, W. E., 991, 1203, 2213
Huggins, G., 456
Hughes, B. L., 543, 582, 657, 1339, 2532
Hulan, H. W., 100, 585, 659, 748, 927, 2564
Hurwitz, S., 2290, 2470
Huston, T. M., 2797
Hymowitz, T., 328

I

Imai, C., 1767
Ivie, G. W., 1208

J

Jacobs, L. A., 274
James, P., 1485
Jami, M. S., 253, 2105
Janky, D. M., 1350
Jantawat, P., 1043, 1053, 1788
Jaynes, W., 2424
Jeffers, T. K., 1722, 1731
Jensen, A. H., 328
Jensen, L. S., 341, 1280, 1290, 1328, 1818, 1864, 2256
Johnson, A. L., 2771
Johnson, E. A., 1777
Johnson, J., 2221
Johnson, M. G., 2514
Johnson, T. H., 2692
Johnson, Z. B., 1337, 2055
Johnston, J. O., 390
Johnston, R. K., 1800, 2098
Johri, T. S., 1832

Jones, J. E., 582, 657, 1339
Juran, M., 1706

K

Kariya, T., 390
Kashani, A. B., 2519
Kato, T., 1416
Katongole, J.B.D., 819
Kazemi, R., 95
Kelley, K. W., 985
Kendall, R. J., 177
Kennedy, B. W., 428
Keshavarz, K., 2121, 2492
Kessler, J. W., 2500
Ki, P., 2738
Kienholz, E. W., 2160
Kiley, J. P., 914
King, E. W., 2514
Kirby, L. K., 1337, 2055
Kit, J. M., 473
Kitts, W. D., 325, 1812
Klesius, P. H., 38, 1715
Kleven, S. H., 54, 702, 976, 2708
Kling, L. J., 2352
Klopfenstein, C. F., 2267
Klose, A. A., 2570
Knechtges, J. F., 2532
Ko, S., 1229
Koo, S. I., 2514
Kozink, M. B., 247
Kramer, J.K.G., 316, 1505
Kratzer, F. H., 95, 569, 1832, 2361
Krueger, W. F., 1082, 1215
Kuhlmann, W. D., 914
Kuney, D. R., 1824
Kurebe, M., 1114
Kurtz, H. J., 531

L

Labate, M. E., 383
Lane, R. H., 719, 2467
Lanza, G. M., 234, 282, 2686
Larmond, E., 2564
Latshaw, J. D., 135, 141
Laugier, C., 643
Leach, R. M., Jr., 438, 1892
Lease, J. G., 1800
Leavitt, W. W., 390
LeClercq, B., 2189
Lee, F. B., 1970
Lee, K., 2002
Lee, S., 1989
Lee, S. R., 2403
Leenstra, F. R., 1363
Leeson, S., 11, 786, 935, 1237, 1839
Legendre, M. G., 2348
Leighton, A. T., Jr., 352, 358, 363, 1395
Lewis, M. J., 1777
Lewis, R. W., 456
Likuski, H.J.A., 605
Lilburn, M. S., 1892
Lillard, H. S., 1761
Littlefield, L. H., 576, 2697
Loeb, J. N., 628
Long, P. L., 2221
Lott, B. D., 486, 724, 1548, 2400
Lowe, P. C., 677, 1985
Lowry, R. R., 2744
Lukert, P. D., 2708
Lyon, B. G., 69
Lyon, C. E., 69, 1031
Lyons, J. J., 2424

Mc

McCartney, M. G., 479, 2583
McCorkle, F., 616, 669, 1324, 2151
McDaniel, G. R., 274, 2544, 2782
McDougald, L. R., 1001, 2008, 2421
McFarland, D. C., 86, 2250
McGinnis, J., 110, 253, 572, 2105, 2111, 2287
McNaughton, J. L., 893, 1342, 2300
McRae, K. B., 100, 748, 927
McQuistion, T. E., 1001, 2421

M

MacMillan, C., 611
MacPherson, J. W., 941
Maiorino, P. M., 1451, 2071, 2508
Mäkelä, P. H., 1187
Malone, G. W., 576, 1755, 2373, 2697
Manly, J. M., 2077
March, B. E., 611, 819
Marion, W. W., 666
Marks, H. L., 6, 173, 1149, 1167, 1700, 2183
Marquardt, R. R., 758
Marsteller, F. A., 1947
Martin, J. H., Jr., 1178
Mateos, G. G., 369, 2129
Mather, F. B., 468
Matsoukas, J., 693
Maurer, A. J., 1423, 1795
Maurice, D. V., 341
May, J. D., 888, 893
Merkley, J. W., 1755, 2697
Merkur, P., 885
Meyer, G. B., 352, 358, 363
Middendorf, D. F., 1442, 1460
Miles, R. D., 1897
Millam, J. R., 1126
Millar, D. L., 1949
Miller, E. R., 1284
Mirocha, C. J., 531
Mirosh, L. W., 298, 945
Misir, R., 758
Misra, L. K., 1215
Mitrovic, M., 268
Molonon, B. R., 303
Moore, C. H., 2703
Moore, J. W., 2373
Mora, E. C., 258, 494
Moran, E. T., Jr., 378, 1304, 1521, 1918
Moreng, G. R., 2760
Moreng, R. E., 782
Morgan, G. W., 681, 860
Mowry, D. J., 714
Muir, W. M., 719, 2467, 2692
Mullins, S. G., 719, 2467
Mulnix, E. J., 1067
Musser, M. A., 444, 563
Muztar, A. J., 605, 1430, 1873

N

Naber, E. C., 135, 141
Naciri, M., 2412
Nakaue, H. S., 2744
Nam, C. W., 2111
Naqi, S. A., 1949
Nathanael, A. S., 594
Nazerian, K., 21
Nelson, R. A., 2519
Nelson, T. S., 708, 1337, 2055
Nesbeth, W. G., 932
Nestor, K. E., 417, 1385, 1694, 1953, 1961
Nishiyama, S., 1114
Niv, A., 2290
Nordskog, A. W., 2158
Nordstrom, J. O., 1711, 1860, 2749
Nurmi, E., 1187
Nwokolo, E., 155

O

Offiong, S. A., 828
Ogren, L. A., 1126
Olah, I., 616, 2151
Olentine, C. G., Jr., 494
Olomu, J. M., 828
Olson, L. D., 2578
Olson, V. M., 2733
O'Neil, J. B., 1254
Opel, H., 2550
Orf, J. H., 328
Osol, J. G., 647, 918
Ota, H., 1485
Otis, J. S., 1686, 2179
Ottinger, M. A., 1750, 1995
Orf, J. H., 328
Ota, H., 1485
Ousterhout, L. E., 1480, 1860
Owens, S. L., 737, 2456
Owings, W. J., 77

P

Page, R. K., 1018, 1221, 2708
Palafox, A. L., 2024
Palmer, D. K., 2158
Parsons, C. M., 128, 1852
Patel, M. B., 110, 2105, 2111, 2279, 2287
Peavey, R., 2586
Pell, K. E., 2738
Penner, M., 86, 1109
Pesti, G. M., 1073
Petersen, C. F., 293
Petrow, V., 390
Pharr, C. L., 2080
Phillips, R. E., 1970
Pialorski, S., 1471
Pierson, E.E.M., 845
Pierson, F. W., 2322, 2336
Plavnik, I., 459, 2470
Polin, D., 2738
Polkinghorne, R. W., 1375
Potter, L. M., 128, 352, 358, 363, 845, 1268, 1852
Price, K., 805, 808, 1275
Prior, M. G., 1254
Props, C. F., 352, 358, 363
Proudfoot, F. G., 100, 585, 659, 748, 927, 1258, 2564
Proudman, J. A., 906, 2550
Pubols, M. H., 253

Q

Quarles, C. L., 664, 714
Quisenberry, J. H., 1082, 1745

R

Rahn, A. P., 465, 686, 2008
Ramey, D., 748
Raynaud, J.-P., 2412
Rayner, E. T., 2348
Raz, M. A., 2273
Reddy, S. J., 572
Reece, F. N., 231, 486, 724, 1342, 2300, 2397, 2680
Regenstein, J. M., 347
Regnier, J. A., 985
Rehkugler, G. E., 545
Reid, B. L., 1451, 2071, 2508
Reid, W. M., 2008
Reinhart, B. S., 941, 1521, 1918
Renden, J. A., 1677, 1682, 2525, 2559
Renner, P. A., 1694
Renwick, G. M., 2586
Resseguie, W. D., 1339
Rice, D. H., 424
Richards, J. F., 2088, 2225
Riegle, B. J., 21
Riesenfeld, G., 2290
Rigoni, M., 662
Ringrose, R. C., 523
Rizk, S. W., 308
Robach, M. C., 726
Robbins, K. R., 1099, 1246
Robblee, A. R., 396, 550, 558, 2437, 2444
Robel, E. J., 149
Robinson, G. A., 2312
Robison, T., 531
Rogler, J. C., 1878, 1885
Roland, D. A., Sr., 924, 2038, 2047, 2703
Rollins, F. D., 770
Roodbeen, A. E., 115
Rosebrough, R. W., 1485
Rowland, G. N., 2403
Rowland, L. O., Jr., 1907
Rudolf, T. S., 1455
Ruff, M. D., 234, 697, 2008
Russell, I. D., 1221

S

Sadjadi, M., 1977, 2462
Salevsky, E., Jr., 438
Sam, R. M., 550, 558, 2437, 2444
Sandhu, T. S., 1027
Saoud, N. B., 1807
Sato, Y., 1416
Satterlee, D. G., 900
Sauter, E. A., 293
Scanes, C. G., 159
Scanlon, P. F., 177
Schildknecht, E. G., 268, 1145
Schneitz, C., 1187
Schom, C. B., 473
Schuh, K., 135
Schuler, R., 2567
Schuller, W. H., 2348
Schultz, F. T., 1353
Scott, M. L., 459
Sefton, A. E., 428, 1912
Sell, D. R., 1878, 1885
Sell, J. L., 77, 369, 594, 2129
Sellers, R. S., 1901
Seuna, E., 1187
Sexton, T. J., 274, 1142, 2544, 2765
Sharkey, D. L., 664
Sharlin, J. S., 1311
Sharp, P. J., 159
Sharvit, M., 2290
Sheldon, B. W., 2725
Shelton, J. R., 128, 1268, 1852
Sheppard, A. J., 1455
Shih, J.C.H., 247
Shimoda, W., 531
Shires, A., 396
Shoffner, R. N., 1686, 1970, 2179
Shupe, W. L., 16, 1956
Sibbald, I. R., 119, 316, 374, 805, 808, 836, 939, 1275, 1505, 2136, 2358
Siegel, H. S., 1700, 1935
Siegel, P. B., 1, 205, 516, 624, 1943, 1947, 1951
Sim, J. S., 325, 1812
Simensen, E., 2578
Simmons, R. W., III, 308
Simonsen, H. B., 2202
Siopes, T. D., 868, 1122
Sisodia, C. S., 1254
Skeeles, J. K., 1221
Skoglund, W. C., 693, 2397
Slinger, S. J., 605, 1430, 1873
Sloan, D. R., 2243
Smyth, J. R., Jr., 2369, 2373
Snyder, R. L., 2145
Soares, J. H., Jr., 2352
Solotorovsky, M., 1736
Somes, R. G., Jr., 1370, 2379, 2386
Spencer, J. L., 2165
Spencer, J. V., 298, 945, 1783
Squibb, R. L., 1736, 2098
Stadelman, W. J., 664, 2322, 2733
Stake, P. E., 308
Stapleton, P., 333
Stedman, T. M., Jr., 1018
Steedman-Douglas, C. D., 550, 558
Stephens, E. A., 21
Stevenson, I. L., 1959
Stewart, P. A., 2692
Stewart, R. G., 234, 1221
Stinson, R., 1324
Stout, J. T., 168
Strong, C. F., Jr., 417
Succi, G., 1471
Suderman, D. R., 2247
Summers, J. D., 11, 786, 935, 1237, 1839
Sunde, M. L., 971, 1073, 2216
Sundeen, G. B., 2088, 2225
Swatland, H. J., 1773

T

Tanaka, S., 1538
Tarnavsky, G. K., 86
Taylor, R., 1324
Teekell, R. A., 971
Templeton, G. E., 708
Thaxton, P., 681, 2641
Thomas, O. P., 2500, 2754
Thomason, D. M., 731, 1395
Thompson, B. K., 1294
Thomson, J. E., 2431
Timoney, J. F., 289
To, E. C., 726
Tojo, H., 2796
Touchburn, S. P., 971, 2065, 2189
Townsend, W. E., 69
Trainor, C., 268
Turk, D. E., 2514

U

Unklesbay, K. B., 1036

Unklesbay, N. F., 1036
Uwayjan, M., 2273

V

Valencia, M. E., 2071, 2508
Vandepopuliere, J. M., 2424
van der Zijpp, A. J., 1363
Van Krey, H. P., 352, 358, 363, 624, 1943, 1951
van Middelkoop, J. H., 159
Vardaman, T. H., 1548
Vedam, K., 2342
Veltmann, J. R., Jr., 1290, 1328, 1864, 2256
Verstrate, J. A., 298, 945, 1783
Vestergaard, K., 2202
Vikram, C. S., 2342
Villegas, P., 702, 2708
Vo, K. V., 1215, 2532
Vohra, P., 569, 1832
Voitle, R. A., 1350, 2077

W

Waibel, P. E., 849
Waldroup, P. W., 1337, 1901
Walpole, E. W., 576
Ware, G. O., 465
Warner, R. L., 2760
Washburn, K. W., 282, 2586, 2686
Wasnidge, D. C., 2312
Weaver, G. A., 531
Weaver, W. D., Jr., 1550
Wechsung, E., 2803
Weigh, L. A., 2379
Weiner, S., 1345
Weinland, B. T., 1755
Weiselberg, M., 2290
Wentworth, B. C., 906
Whitehead, J., 1485, 1956
Whitehead, W. K., 16, 1956
Whittaker, D., 693, 2397
Whittemore, A. D., 44
Wiggans, A. D., 28
Wilgus, H. S., 772
Willeberg, P., 2202
Williams, C. J., 799, 1316
Williams, D. M., 681
Williams, J. E., 44, 2717
Williams, R. E., 1211, 2207
Willis, G. M., 404, 2538
Wilson, E. K., 2322, 2336
Wilson, H. R., 470, 932, 1284
Wilson, W. O., 868, 1122
Wing, T. L., 2738
Winterfield, R. W., 240
Wood, D. L., 2014
Woodard, A. E., 2145
Wyatt, R. D., 234, 282, 1311, 2221, 2417, 2686

Y

Yasuda, M., 1538
Ylander, D. M., 2449
Young, R. J., 2029
Young, R. W., 2725
Yvoré, P., 2412

Z

Zambraski, E. J., 2567
Ziprin, R. L., 34, 1742
Zsigray, R. M., 1172

Index of Subjects

Abdominal fat,
broiler, 1669,* 2456
caloric restriction, 1585*
prediction equations, 945
genetic selection, 1631*
heritability, 1977
quail, 2462
Abdominal fat pad,
broiler, 1566*
Abdominal fat separation, 1619*
Acaricides,
northern fowl mite, 2424
Acetic acid method,
egg cleaning, 737
Acid-base balance,
layers, egg shell strength, 1294
ACTH, 1700
bursa, corticosteroid, 1935
Additivity,
true metabolizable energy, 1561*
proximate analysis, 805
Adenohypophysectomy,
testis histology, 1538
Adenovirus isolation,
SPF breeders, 21
Adenovirus pathogenicity, 1599*
Adipose tissue,
cellular development, 1621*
Adrenal glands,
ovulation, 2760
Adrenergic receptors,
oviduct, 2331
Adrenocorticotropin,
quail, physiological changes, 860
Aerobic poultry manure,
layers, nutritive value, 1178
Aerosol contaminants, 1604*
Aflatoxicosis,
bone ash, 2213
bone mineralization, 1622*
broiler, tibial dyschondroplasia, 991
feed restriction, tibial dyschondroplasia, 1565*
quail, sexual development, 1995
sexual maturation, 1647*
turkey, biochemical changes, 1607*
Aflatoxin,
anemia, genetic variation, 2686
broiler age effect, 282
cockerel, reproductive performance, 1660*
corn segregation, 1622*
iron absorption, strain variation, 1566*
reproductive performance, cockerel, 1660*
rooster, reproductive performance, 1311
sexual maturation, 1750
tannic acid, 2417
Aflatoxin-ochratoxin,
blood parameters, 1600*
Aflatoxin:ochratoxin,
toxin synergism, 1623*
Aflatoxin response,
genetic variability, 1629*
Age bird,
immune competence, 669
true metabolizable energy, 396
Age effect,
bile salts, fat utilization, 819
fatty acid binding protein, fat utilization, 819
Air flow,
anatomy, respiration, 2642
Air sacculitis, 2666
Air temperature,
egg shell strength, 1566*
Airborne bacteria,
hatchery fogging, 714
Albumen coagulum,
firmness, 1229
Albumen quality, 1620*
egg oiling, 2237
egg washing, 2237
molting, 1711
Albumin, 874
Alcaligenes faecalis, 1624*
Alfalfa,
available amino acids, 1873
cholesterol-yolk, saponins, 2744
true metabolizable energy, 939†
methodology, 1275
Alfalfa protein concentration,
amino acid balance, 1578*
Ambient temperature,
sexual maturity, 2532
Amino acid availability, 1604*
lavera yeast, 115
rapeseed meal, 605
rapeseed products, 1430
soybean meal, 605
Amino acid balance,
alfalfa protein concentration, 1578*
single cell protein, 1598*
temperature-environment, 1603*
Amino acid deficiencies, 1664*
Amino acid digestibility,
turkey, soybean meal, 845
Amino acid interaction,
lasalocid, 1673*
Amino acid requirements,
broiler, model prediction, 2470
quail, 2029
Amino acid-diet,
broiler, feathering, 1670*
Amino acid-sulfur,
broiler, 1670*
Amino acids,
parallel line assay, soybean meal, 149
Amino acids-diet,
broiler, 1628*
Aminoguanidine,
liver metabolism, embryology, 1114
Ammonia-atmosphere,
broiler, 1654*
performance data, 486
Ammonium phosphate,
phosphorus availability, 1280

*indicates an abstract.

†indicates a research note.

Ammonium sulphate,
layers, performance data, 119
Amputation,
layers, performance data, 1559*
Anatomy,
respiration, air flow, 2642
Androgens,
quail, 1646*
Anemia,
aflatoxin, genetic variation, 2686
Antibacterials,
semen extender, 274
Antibiotic,
salmonella, nosiheptide, 1405
Antibiotic compatibility,
coccidiosis,
lasalocid, 268
roxarsone, 268
Antibiotics,
methionine requirement, 110
Antibody kinetics, 1636*
Antibody production,
E. coli resistance, 1947†
genetic selection, 1
Antibody response,
testosterone, 1642*
Antibody synthesis,
thermal stress, 985
Antibody titer,
genetic selection, resistance to infection, 205
Anticoccidials,
broilers, heat stress, 2421
Antimicrobials,
cecal anaerobes, 1197
salmonella, 44
salmonella therapy, 1187
Antioxidants, 1570,* 1659,*
turkey meat, rancidity, 2733
Aortic atherosclerosis,
exercise effect, 1585*
Aphagia,
hypothalamic lesions, 1629*
Appetite enhancer,
layers, 1609*
Arachidonic acid, 2803†
Arginine requirement,
broiler, 1571*
Arprinocid, 1654,* 1666*
Articular gout,
genetic selection, 951
Artificial insemination,
broiler breeder, 428, 1912,
turkey breeder, 1637*
Ascorbic acid, 893
Asparagine metabolism, 1109, 1595,*
Aspergillus,
chicks, pathogenicity, 1566*
Aspirated grain fraction, 1561*
Aspirin, 893
Astaxanthin,
egg yolk pigments, yeast, 1777
Autosomal recessive,
blind mutant, 2179
Available amino acids,
alfalfa, 1873
corn, 1873
Avian ichthyosis, 1654*
Avian tuberculosis,
glycogenesis, 1736
Avichol, 1602*
Azodrin treatment,
embryo response, teratogenic index, 473
B-locus,
histocompatibility, 1650*
Barley,
cellulase enzymes, beta-glucans, 1672*
Base level differences,
immunoglobulins, 1654*
Beans,
nutritive value, 572
Behavior,
layers, molting, 215
Beta-glucans,
barley, cellulase enzymes, 1672*
Bilateral oviducts, 1671*
Bile acids,
lipase, tallow absorption, 2738
Bile salts,
fat utilization, age effect, 819
Bioaccumulation,
broiler, pentachlorphenol, 1018
Bioassay,
mold inhibitors, 1663*
unidentified factors, 1637*
xanthophyll, 1442
Bioavailability,
pantothenic acid, 1663*
Biochemical changes,
turkey, aflatoxicosis, 1607*
Biotin deficiency,
lipogenesis, mercury-diet, 1600*
Blind mutant,
autosomal recessive, 2179
Blood cell differentiation,
Japanese quail, 1575*
Blood cells,
turkey, herpesvirus localization, 258
Blood components,
circadian rhythm, 1662*
Blood constituents,
molting, 1610*
strain effect, 1610*
yeast-diet, 1807
Blood gas tensions,
duck, 914
Blood gases, 1294
oxygen affinity, tonometry, 2782
Blood group marker,
dystrophic chicks, 1621*
Blood ionized calcium,
egg shell strength, 1617*
Blood meal,
metabolizable energy, 1337†
Blood parameters,
aflatoxin-ochratoxin, 1600*
genetic differences, 1577*
stress, heat stress, 1598*
Blood pressure,
restricted feeding,heat stress, 2586†
Body composition,
methionine-diet, 1613*
vitamin B_6-diet, 1613*
Body fat,
broiler, protein:energy, 1499

Body size,
genetic selection, protein polymorphisms, 1574*
Body weight,
heritability, energy-diet, 173†
incubation duration, 1615*
quail, reverse genetic selection, 1149
turkey, genetic selection, 1385
Body weight effect,
layers, feed intake, 1596*
Body weight loss,
molting, 1558*
Body-checked eggs,
lighting, 2703
Bone ash,
aflatoxicosis, 2213
Bone growth,
turkey, 1644*
fat grade, 1610*
Bone lesions,
magnesium toxicity, 2403
Bone mineral mass,
turkey, vitamin D status, 563
Bone mineralization,
aflatoxicosis, 1622*
Bone strength,
broilers, pen height, 1568*
Instron, 724
pen height, 1638*
Brain nematode,
Chandlerella quiscali, 996
Breast blisters,
litter treatment, feathering, 1564*
Breeder diet,
encephalopathy-chick,
fat, 264
tocopherol, 264
Brewers dried grains,
nutritive value, 2361†
Brewery by-product, 1627*
Brine equilibration,
smoked turkey, 1642*
Broiler,
abdominal fat, 1669,* 2456,
caloric restriction, 1585*
prediction equations 945
abdominal fat pad, 1566*
aflatoxicosis, tibial dyschondroplasia, 991
amino acid requirements, model prediction, 2470
amino acid-sulfur, 1670*
amino acids-diet, 1628*
ammonia-atmosphere, 1654*
arginine requirement, 1571*
bioaccumulation, pentachlorphenol, 1018
body fat, protein:energy, 1499
cage rearing,
leg abnormalities, 308
water restriction, 211
calcium utilization, 1568*
calcium:phosphorus, 1562*
carcass characteristics, 786
carcass quality, protein restriction, 378
carcass yield, energy-protein, 1304
coccidiostat effect, sorbic acid-diet, 1591*
coccidiostats, 1670*
compensatory growth, ionophorous drugs, 1001
copper-diet, sulfur amino acids, 1099
CO_2 — atmosphere, 1654*
diet self-selection, 1603*
energy-protein diet, 828
environment temperature, energy requirement, 2290
fat in carcass, methodology, 298
fat pad weight, 1659*
fattening,
corticosterone, 1328
prolactin, 1328
feathering, amino acid-diet, 1670*
feed restriction, tibial dyschondroplasia, 991
feeding behavior, 1594*
fish meal, 91
genetic selection,
feed conversion, 1167
feed intake, 1167
gentian violet,
physiological effects, 234
hemolytic complement activity, 1221
leg abnormalities, genotype interaction, 748
leg weakness, 459†
lighting, thyroid function, 647
lighting program, 1550,* 1590,* 1670*
lighting-intermittent, feed conversion, 1342†
litter economics, 1658*
methionine:vitamin B_6, 1603*
organoleptics,
rapeseed-diet, 550, 558,
squid meal — diet, 2564†
performance data, 786
ammonia-atmosphere, 486
cage rearing, 681
carbon dioxide, 2400
delayed placement, 1215
energy in diet, 576
energy-protein, 1304
feeder space, 2697
lighting, 2697
lighting X diet energy, 1582*
lighting-intermittent, 576
methionine-copper, 1246
ochratoxin A, 1254
sucrose-diet, 1636*
tropics, 828
water equipment, 489
zearalenone, 531
phase feeding, 2060
pigmentation, light transmission, 1350†
pinealectomy, thyroid function, 647
processing parameters, 1571*
pyridoxine deficiency, 1584*
salmonella control, 1583*
salmonella monitoring, 1596*
skin composition, 2247
sodium:chloride, 1562*
stress effects, 1668*
toxicity,
penicillic acid, 1203
pentachlorphenol, 1018
zearalenone, performance data, 531
Broiler age effect,
aflatoxin, 282
Broiler breeder,
artificial insemination, 428, 1912,
cage *vs.* floor, 1611*
reproductive performance, 2525
egg shape, 1677

egg shell quality, 1637*
gentian violet, tissue residues, 500
hatchability, 1683
hatchability studies, 1594*
molting, 1572*, 1657*,
performance data,
light treatment, 1258
protein-diet, 1258
protein requirement, 470†
pullet uniformity, protein-diet, 1650*
rearing program, semen production, 1571*
restricted feeding, reproductive performance, 2583†
vaccination, Newcastle disease, 702
Broiler carcass,
consumer evaluation, rapeseed meal, 2444
organoleptics, rapeseed meal, 2437
salmonella,
frozen storage, 2431
rinse volume, 1560*
water pick-up, 1617*
Broiler crosses,
eviscerated yields, parts yield, 1755
Broiler exhibits, 1669*
Broiler housing,
Farmers Home Administration financing, 686
Broiler shelf life,
microbiology,
consumer methods, 743
sorbate dip, 726
Broiler shrink,
housing type, 1608*
Broiler yields,
by-products, 2243
temperature-environment, 456†
Broilers,
heat stress, anticoccidials, 2421
inert fillers,
clays, 1901
sand, 1907
feathering, 2111
methionine requirement, 2111
pen height, bone strength, 1568*
performance data,
hatchery fogging, 714
thyroid hormone, 888
phase feeding, 1619*
temperature fluctuation, energetic efficiency, 2121
Broodiness, 1694
endocrine changes, 1671*
incubation behavior, prolactin, 2550
turkey, genetic selection, 1385
turkey breeder,
dopamine receptor block, 1126
prolactin, 1653*
Brooding,
temperature control, 231
ventilation control, 231
Brooding temperature, 1655*
Brown egg breeds,
lighting-intermittent, 2397
Bursa,
corticosteroid,
ACTH, 1935
Bursa of Fabricius,
morphology, 1614*
Bursectomy,
corticosterones, 1666*
Butanediol-dioctanoate,
lipid metabolism, 2099
Buttercup plumage, 2373
By-products,
broiler yields, 2243
Cadmium retention, 1657*
calcium status, 1586*
vitamin D status, 1586*
Cage density,
egg shell pimpling, calcium-diet, 1606*
layers, performance data, 1090
turkey breeder, 1589*
Cage design,
layers, 1567*
Cage orientation,
layer, 1620*
Cage rearing,
broiler,
leg abnormalities, 308
performance data, 681
water restriction, 211
Cage shape, 1656*
Cage *vs.* floor,
broiler breeder, 1611*
reproductive performance, 2525
Calcitonin,
radioimmunoassay, 1557*
Calcium, 758, 1672*
Calcium binding,
estradiol, 2776
Calcium binding protein,
genetic differentiation, egg shell quality, 880
Calcium binding proteins,
serum concentrations, 874
Calcium-diet,
egg shell pimpling, cage density, 1606*
hatchability, 1284
layers, performance data, 82
lead toxicity, 1860
turkey breeder, 2077
Calcium excretion,
egg shell formation, 885
Calcium homeostasis,
chick, 1648*
turkey breeder, 1638*
Calcium:phosphorus,
broiler, 1562*
layers, egg shell quality, 1480
Calcium-plasma, 444
comb size, 1639*
egg shell quality, 2336
Calcium requirement,
layers, 1645*
Calcium self-selection,
pullets, 1593*
Calcium-serum, 2797†
Calcium source,
coquina shell, 1626*
Calcium status,
cadmium retention, 1586*
Calcium utilization,
broiler, 1568*
Calculator use, 1645*
Caloric intake,
layers, 1560*
Caloric restriction,
broiler, abdominal fat, 1585*

Canada's genetic resource, 1596*
Caponization, 1640*
Carbohydrate metabolism,
chromium, 1656*
Carbohydrate source,
cecal biotin content, 1493
cecal size, 1493
Carbon dioxide,
broiler, performance data, 2400
Carbon source,
egg composition, 1529
Carcass characteristics,
broiler, 786
dystrophic chicks, 1622*
Carcass composition,
pullet, performance data, 1839
quail, 1581*
thyroid hormone, 1636*
turkey, 1237
Carcass energy gain,
environment temperature, 2307
Carcass holding,
temperature-environment, 1612*
Carcass quality,
broiler, protein restriction, 378
Carcass shape,
duck, 1773
Carcass traits,
turkey, fat source, 1648*
Carcass yield,
broiler, energy-protein, 1304
guinea fowl, 657
Cardiac morphology,
microwaves, 1563*
Cardiomyopathy,
furazolidone, myocardial glycogen, 1510
turkey, electrocardiograph, 1515
Cardiovascular parameters,
exercise effect, 1558*
Cartilage abnormality,
tibial dyschondroplasia, 1892
Cation:anion,
chick performance, 1644*
Ceca,
turkey, GI motility, 1925
Cecal anaerobes,
antimicrobials, 1197
Cecal biotin content,
carbohydrate source, 1493
Cecal contents,
uric acid concentation, 1193
Cecal size,
carbohydrate source, 1493
Cellular development,
adipose tissue, 1621*
Cellulase enzymes,
barley,
beta-glucans, 1672*
Cellulose digestion,
turkey, 1602*
Cement kiln dust,
nutritive value, 1290
Cervical ganglionectomy, 1609*
CGA 72662,
house fly, 2207
Chalazae,
chemical composition,
storage deterioration, 1416
Chandlerella quiscali,
brain nematode, 996
Chemical composition,
chalazae,
storage deterioration, 1416
manure, 1579*
Chemotheraputic effects,
ducks, *Pasteurella anatipestifer,* 1027
Chick,
calcium homeostasis, 1648*
methionine requirement, 1584*
Chick assay,
mold inhibitors, 1572*
Chick bioassay,
legumes, 1649*
Chick growth,
lunaria oil, organ lipids, 1455
Chick performance,
cation:anion, 1644*
Chickenburger,
organoleptics, 1579*
Chickeneggburger,
organoleptics, 1579*
Chicken-guinea hybrid,
coccidiosis, 1635*
Chicken thighs,
fry temperature,
fry time, 2467
frying time, 1629*
Chicks,
pathogenicity, aspergillus, 1566*
selenium, glutathione peroxidase, 135
Chiller water,
chlorine treatment, 1761
Chilling process, 1671*
China poultry production, 1591*
Chloramphenicol, 44
Chlorine treatment,
chiller water, 1761
Cholesterol, 325, 1665*
egg yolk, 2014
embryo uptake, 1607*
fiber-diet, 1665*
Cholesterol-blood,
genetic selection, 1316
Cholesterol metabolism,
quail,
hydroxy-3-methylglutarate, 383
Cholesterol-plasma,
divergent selection, 1700
Cholesterol-yolk, 1812
alfalfa, saponins, 2744
egg number, 666
Choline availability,
soybean meal, 1649*
Choline content,
rapeseed meal, 611
Choline-methionine,
model estimation, 1073
Chromium, 1610*
carbohydrate metabolism, 1656*
nicotinic acid metabolism, 1656*
Chromium-diet,
egg quality-interior, 341
Chromosome abberation,
pericentric inversion, 1584*

Circadian rhythm,
blood components, 1662*
testes, photosensitivity, 868
Citrinin,
Penicillium lanosum, 2055
Citrinin toxicity, 1643*
Citrus pectin, 2105
Class demonstration,
nutritional deficiency, 1583*
Clays,
broilers, inert fillers, 1901
inert fillers, layers, 1901
layers, inert fillers, 1901
Clostridium botulinum,
frankfurter slurry, 1616*
Clover,
nutritive value, 2355†
Clubbed down, 1623*
Coccidial monitoring, 1631*
Coccidiosis,
antibiotic compatability,
lasalocid, 268
roxarsone, 268
chicken-guinea hybrid, 1635*
immune response, 38
immunity, 2221
lasalocid, 63, 1649*
lesion reduction, lasalocid-roxarsone, 1145†
monensin, 1649*
narasin, 2008
organ weights, 1608*
pullets, restricted feeding, 697
resistance, delayed hypersensitivity, 1715
salinomycin, 2412
turkey, monensin sensitivity, 1722
Coccidiostat effect,
broiler, sorbic acid-diet, 1591*
Coccidiostats,
broiler, 1670*
Coccivac,
delayed hypersensitivity, 38
Cockerel,
aflatoxin, reproductive performance, 1660*
Cockerel performance,
light wavelength, 1646*
Cockerel tissues,
lipid composition, 2267
Color effect,
fried chicken, 1669*
Comb development,
pinealectomy, 918†
Comb size,
calcium-plasma, 1639*
Commercial diets,
true metabolizable energy, 808
Compensatory growth,
broiler, ionophorous drugs, 1001
Composition,
turkey, yolk sac, 1521
Condensed molasses solubility,
nutritive value, 673
Consumer evaluation,
broiler carcass, rapeseed meal, 2444
Consumer methods,
broiler shelf life, microbiology, 743
Cooking method,
egg caloric content, 1605*
Cooking temperature,
turkey meat, nutritive value, 2725
Copper-diet,
broiler, sulfur amino acids, 1099
litter condition, 1600*
oily bird syndrome, 1636*
Copper sulfate, 1626*
Copper-tissues, 1655*
Coquina shell,
calcium source, 1626*
Corn,
available amino acids, 1873
municipal sludge, nutritive value, 1561*
Corn fraction effect,
tallow, true metabolizable energy, 1505
Corn mold,
gizzard erosion, *Penicillium lanosum,* 708
Corn segregation,
aflatoxin, 1622*
Cornish market, 1578*
Corticosteroid,
bursa, ACTH, 1935
Corticosteroid metabolism, 1572*
Corticosterone, 1572,* 1653*
broiler, fattening, 1328
liver fat, 1864
radioimmunoassay, 900
serum sodium, potassium, 1619*
Corticosterone pattern,
feed restriction, 1614*
Corticosterone-diet,
physiological response, 516
Corticosterones,
bursectomy, 1666*
Coturnix-classroom, 1668*
Cortunix-international, 1668*
Coumaphos, 1208
CO_2 – atmosphere,
broiler, 1654*
Crossbreeding, 1660*
Crufomate, 1208
Culture medium,
Mycoplasma gallisepticum, 1579*
Cura phos,
phosphorus source, 1658*
Cut-up parts,
protein:energy, 1605,* 1606*
Cystine-diet,
methionine absorption, 1885
Cystine requirement,
turkey, 849
Cytotoxic effects,
semen extender,
dimethylsulfoxide, 1142†
D-alloisoleucine,
layers, 2519
Daily feed intake,
layers, diet formulation, 1618*
Daily variation,
egg shell strength, 1617*
Dam effects,
genetic correlation, dwarf intraline, 1375
DDT residue,
quail inheritance, 1183
Debeaking age, 2002
Deep-fat frying,
marinating chicken, 1592*

Degenerative myopathy,
genetic variation, 1621*
Delayed hypersensitivity,
coccidiosis, resistance, 1715
coccivac, 38
Delayed placement,
broiler, performance data, 1215
Detection methods,
lymphoid leukosis, 1606*
Diet composition,
performance data, heat stress, 1434
Diet fillers,
energy excretion, 836
Diet formulation,
layers, daily feed intake, 1618*
Diet regimens,
guineas, 582
Diet self-selection,
broiler, 1603*
Dietary effects,
egg shell quality, 2038, 2047
Digestibility trials,
uric acid determination, 662
Dimethylsulphoxide,
semen extender, cytotoxic effects, 1142†
semen-frozen, fertility, 1673*
Disease-nutrition, 772
Disease survey, 1674*
Distribution statistics,
egg shell deformation, 1586*
egg weight, 1586*
Divergent selection,
cholesterol-plasma, 1700
feed efficiency, metabolic rate, 2692
Dopamine receptor block,
turkey breeder, broodiness, 1126
Drug use, 1653*
Duck,
blood gas tensions, 914
carcass shape, 1773
Duck processing,
microbiology, 1795
Duck roll, 1423
Ducks,
erysipelas, 1600*
Pasteurella anatipestifer,
chemotherapeutic effects, 1027
reproductive performance, 1970
sodium bentonite, 2160†
temperature-environment, feed passage time, 2322
Dwarf,
feed conversion, 2183
lipid synthesis, 2189
Dwarf broiler breeder,
lighting program, 1629*
Dwarf intraline,
genetic correlation, dam effects, 1375
Dwarf performance,
fat-diet, 2065
Dysplastic regimens,
feathering, 1667*
Dystrophic chicks,
blood group marker, 1621*
carcass characteristics, 1622*
Dystrophic muscle,
microangiographs, 1640*
E. coli **resistance,**
antibody production, 1947†
Economic analysis,
turkey breeder, reproductive performance, 1395
Egg caloric content,
cooking method, 1605*
Egg characteristics,
heritability, 1624*
Egg characters,
genetic studies, 1577*
Egg-Citing Egg, 1626*
Egg cleaning,
acetic acid method, 737
ultrasonic vibration, 737
Egg composition,
carbon source, 1529
Egg cooking methods,
energy use, 545
Egg flavor,
gas chromatography, 2348†
Egg number,
cholesterol-yolk, 666
Egg oiling,
albumen quality, 2237
Egg position,
incubation, 1573,* 1665*
Egg processing,
enterococci, 1767
Egg production,
genetic selection, part record, 677
layers,
phosphorus-diet, 1897
salt-diet, 1897
mortality, lymphoid leukosis, 2165
prediction equation, 937†
sex ratio effect, 1546†
turkey,
genetic selection, 1385
turkey breeder,
genetic selection, 1961
Egg production costs, 1624*
Egg production functions,
least cost diets, 224
Egg products,
serum composition, 1607*
Egg quality,
nuclear magnetic resonance, 1640*
tamoxifen, 1661*
teaching, 2581†
turkey breeder, 417
Egg quality-interior,
chromium-diet, 341
Egg Servicemen's Roundtable, 1590*
Egg shape,
broiler breeder, 1677
Egg shell,
microbiology, 1641*
Egg shell bacteria,
measurement, 28
Egg shell breakage,
handling procedures, 1587*
Egg shell color,
egg shell strength, specific gravity, 1335†
genetic association,
egg yolk cholesterol, 1578*
Egg shell components, 438
Egg shell contamination,
salmonellae, 289

Egg shell deformation,
distribution statistics, 1586*
Egg shell deposition,
egg size, 924†
Egg shell deposition time,
genetic selection,
egg shell quality, 168
Egg shell formation,
calcium excretion, 885
oviduct composition, 635
Egg shell pimpling,
cage density,
calcium-diet, 1606*
Egg shell quality,
broiler breeder, 1637*
calcium-plasma, 2336
dietary effects, 2038, 2047
egg weight, 1650*
estradiol-plasma, 1663*
feed time restriction,
oviposition time, 2749
genetic differentiation,
calcium binding protein, 880
genetic selection, egg shell deposition time, 168
Eimeria dispersa, pathogenicity, 1569*
Eimeria meleagrimitis,
turkey, monensin resistance, 1731
Eimeria mitis, 1562*
layers,
calcium:phosphorus, 1480
minerals-diet, 1563*
magnesium-plasma, 2336
manganese-diet, 1567*
oviductal tissues, 2787
phosphate-plasma, 2336
progesterone, 1565*
soft-shells, 1674*
Egg shell strength, 1615*
air temperature, 1566*
blood ionized calcium, 1617*
daily variation, 1617*
egg shell color,
specific gravity, 1335†
holography, 2342
layers,
acid-base balance, 1294
mammillary structure, 1667*
pigmentation, 1661*
Egg shell treatment,
storage method, 1612*
Egg size,
egg shell deposition, 924†
maternal determinants, 1582*
Egg washing, 1641*
albumen quality, 2237
Egg weight,
distribution statistics, 1586*
egg shell quality, 1650*
Egg white,
nutritive value, 1800
Egg white protein secretion,
estradiol benzoate, 643
progesterone, 643
Egg yolk,
cholesterol, 2014
Egg yolk cholesterol, 1642*
genetic association, egg shell color, 1578*
genetic variation, 1581*
Egg yolk color analysis, 1059
Egg yolk pigments,
yeast, astaxanthin, 1777
Electrocardiograph,
turkey, cardiomyopathy, 1515
Embryo response,
teratogenic index, azodrin treatment, 473
Embryo uptake,
cholesterol, 1607*
Embryology,
liver metabolism, aminoguanidine, 1114
progesterone, 2559†
temperature stress, 1575*
Embryology program, 1625*
Encephalopathy-chick,
fat, breeder diet, 264
tocopherol, breeder diet, 264
Endocosm,
videotape teaching, 1619*
Endocrine changes,
broodiness, 1671*
Endocrine profile,
turkey, 1674*
Endogenous retrovirus,
genetic loci, 1580*
Energetic efficiency,
broiler, temperature fluctuation, 2121
Energy-diet,
heritability, body weight, 173†
layers, performance data, 1090
oily bird syndrome, 731
Energy excretion,
diet fillers, 836
Energy in diet,
broiler, performance data, 576
Energy metabolism,
fatty acid deficiency, thyroid function, 1581*
Energy-protein,
broiler,
carcass yield, 1304
performance data, 1304
Energy-protein diet,
broiler, 828
Energy requirement,
broiler, environment temperature, 2290
layers, 1657*
turkey, environment temperature, 2290
Energy source,
turkey breeder,
reproductive performance, 1485
Energy use,
egg cooking methods, 545
feed mill, 16
hatchery, 16
omelet production, 1036
Energy utilization,
fat-diet, 1635*
layers,
protein-diet, 2508
temperature-environment, 2071
Enterococci,
egg processing, 1767
Envelope genes,
leukosis, 1655*
Environmental temperature,
broiler, energy requirement, 2290

carcass energy gain, 2307
turkey, energy requirement, 2290
Epinephrine, 1599*
Epistatic response,
layers, genetic gain, 1582*
Erysipelas,
ducks, 1600*
oral immunization, 1587*
Erthrocyte permeability,
inositol, 1624*
Erythrocytes,
histocompatability antigen, 2158†
Estradiol, 2797†
calcium binding, 2776
lighting-ahemeral, 1631*
Estradiol benzoate,
egg white protein secretions, 643
Estradiol-plasma,
egg shell quality, 1663*
Estrogen, 1667*
Estrogenic activity,
zearalenone, 1592*
Estrogen-novel,
turkey plasma, 1588*
Estrogens-plasma, 444
Ethoxyquin, 347
layers, 1591
Eviscerated yields,
broiler crosses, parts yield, 1755
Exercise effect,
aortic atherosclerosis, 1585*
cardiovascular parameters, 1558*
Extra caloric effect,
fat source, metabolizable energy, 2129
Extruded egg products,
mixing time, puffing characteristics, 1611*
Eyes role,
photostimulation, 1122
Faba beans, 1634*
Famphur, 1208
Farmers Home Administration,
broiler housing,
financing, 686
Fat,
encephalopathy-chick, breeder diet, 264
layers, true metabolizable energy, 369
Fat grade,
turkeys, bone growth, 1610*
Fat-diet,
dwarf performance, 2065
energy utilization, 1635*
turkey, 1659*
turkey yield, 1642*
Fat in carcass,
broiler, methodology, 298
Fat mixtures,
metabolizable energy, 1591*
Fat pad weight,
broiler, 1659*
Fat source,
metabolizable energy, extra caloric effect, 2129
turkey, carcass traits, 1648*
Fat tolerance,
vitamin B_{12}, 2279
Fat utilization,
bile salts, age effect, 819
fatty acid binding protein, age effect, 819
true metabolizable energy, 316
Fattening,
broiler,
corticosterone, 1328
prolactin, 1328
Fatty acid binding protein,
fat utilization, age effect, 819
Fatty acid deficiency,
energy metabolism, thyroid function, 1581*
Fatty liver syndrome,
layers, 1648*
Feather meal,
lanthionine content, 1672*
sulfur amino acids, 1627*
Feathering,
broiler, amino acid-diet, 1670*
broilers, 2111
dysplastic regimens, 1667*
layers, floor design, 2202
litter treatment, breast blisters, 1564*
Fecal nitrogen,
feed efficiency, 1662*
Fecal nutrients,
genetic selection, feed utilization, 1605*
Fecal sterols,
layers, lipids-diet, 325
Feed consumption, 1951†
Feed conversion,
broiler,
genetic selection, 1167
lighting-intermittent, 1342†
dwarf, 2183
Feed efficiency,
divergent selection, metabolic rate, 2692
fecal nitrogen, 1662*
heritability, 1674*
quail, genetic selection, 6
Feed intake,
broiler, genetic selection, 1167
gold thioglucose injection, 1574*
layers,
body weight effect, 1596*
model prediction, 2500
performance data, 1560*
Feed mill,
energy use, 16
Feed passage rate,
oats, 2136
Feed passage time,
ducks, temperature-environment, 2322
feed utilization, 1570*
gut clearance, 374
Feed restriction,
aflatoxicosis, tibial dyschondroplasia, 1565*
broiler, tibial dyschondroplasia, 991
corticosterone pattern, 1614*
layers, 1593,* 1656*
performance data, 693
Feed time restriction,
egg shell quality, oviposition time, 2749
Feed utilization,
feed passage time, 1570*
genetic selection, fecal nutrients, 1605*
Feeder space,
broiler, performance data, 2697
Feeding behavior,
broiler, 1594*

layers, 1647*
Feeding programs,
layers, 1609*
Female model *vs.* live hen,
stimulus, sexual behavior, 624
Fertility,
genetic selection, semen-frozen, 1578*
insemination frequency, 363
insemination time, 2544
semen-frozen, dimethylsulphoxide, 1673*
sperm respiration, 1570*
turkey breeder, multiple ejaculation, 1590*
Fertility duration,
turkey breeder, 1631*
Fertilization,
semen-frozen, 1659*
Fetal-leukemic antigen, 1706
Fiber,
intestinal growth, 1638*
Fiber-diet,
cholesterol, 1665*
Financing,
Farmers Home Administration,
broiler housing, 686
Firmness,
albumen coagulum, 1229
Fish meal,
broiler, 91
metabolizable energy, 1227†
turkey, unidentified growth factor, 128
Fish-enzyme digested,
nutritive value, 1565*
Flake cutting,
mechanically deboned meat, 1031
Flash heat treatment,
hatching eggs, microbiology, 1605*
Flip-overs,
vitamins-diet, 927†
Flock records, 1652*
Flock weight estimate, 465†
Floor design,
layers, feathering, 2202
Fluoride content,
mechanically deboned meat, 2570†
Fly ash,
nutritive value, 2080
Fly populations, 1620*
Fly pupae,
nutritive value, 2514
Folic acid content,
turkey muscle, 303
Formalin treatment,
salmonellae, 2717
Fowl cholera, 1345†
Frankfurter slurry,
Clostridium botulinum, 1616*
Fried chicken,
color effect, 1669*
internal temperature, sensory doneness, 719
Frozen meat,
salmonella, 1557*
Frozen storage,
broiler carcass, salmonella, 2431
Fry temperature,
chicken thighs, fry time, 2467
Fry time,
chicken thighs, fry temperature, 2467
Frying time,
chicken thighs, 1629*
Fungistatics in diet,
litter microbes, 1557*
Furazolidone,
cardiomyopathy, myocardial glycogen, 1510
Fusarium roseum, 1669*
Gamma irradiation, 2105
rye,
nutritive value, 2287
physiochemical properties, 253
Gas chromatography,
egg flavor, 2348†
Gas exchange,
respiration, 2654
Geese,
lead toxicity, 1598*
methionine-diet, 1665*
Gelatin capsule,
metabolizable energy,
methodology, 1601*
Gene interaction, 2369
Gene mapping, 1686
Genetic analysis,
humoral immune response, 1363
Genetic association,
egg shell color, egg yolk cholesterol, 1578*
Genetic correlation,
dam effects, dwarf intraline, 1375
Genetic correlations, 1660*
Genetic differences,
blood parameters, 1577*
Genetic differentiation,
egg shell quality, calcium binding protein, 880
Genetic gain,
layers, epistatic response, 1582*
Genetic loci,
endogenous retrovirus, 1580*
Genetic mutation,
white skin, 1637*
Genetic resistance,
Rous sarcoma virus, 1613*
Genetic selection,
abdominal fat, 1631*
antibody production, 1
antibody titer, resistance to infection, 205
body size, protein polymorphisms, 1574*
broiler,
feed conversion, 1167
feed intake, 1167
cholesterol-blood, 1316
egg production, part record, 677
egg shell quality,
egg shell deposition time, 168
feed utilization, fecal nutrients, 1605*
fertility, semen-frozen, 1578*
layers, stress, 1985
leanness, 1589*
lipogenesis, 1621*
lymphoid leukosis, 2165
metabolic rate, 1664*
obesity, 1589*
quail, feed efficiency, 6
turkey,
body weight, 1385
broodiness, 1385
egg production, 1385

turkey breeder,
egg production, 1961
Genetic studies,
egg characters, 1577*
Genetic traits,
turkey breeder, 1694
Genetic variability,
aflatoxin response, 1629*
Genetic variance,
xanthophyll availability, 1460
Genetic variation,
aflatoxin, anemia, 2686
degenerative myopathy, 1621*
egg yolk cholesterol, 1581*
Genetical selection,
articular gout, 951
uricemia, 951
Genetics,
quail, yolk precursor, 1644*
Genotype,
tumors, Rous sarcoma virus, 523
Genotype interaction,
broiler, leg abnormalities, 748
Genotype X environment, 1632*
Genotype-diet interaction, 1601*
Gentamicin, 44
Gentian violet,
broiler, physiological effects, 234
broiler breeder, tissue residues, 500
Giant cell formation,
wattle, lectin induction, 2151
Gizzard erosion,
corn mold, *Penicillium lanosum,* 708
Glutathione peroxidase,
chicks, selenium, 135
selenium utilization, peroxide administration, 141
Glycerated diluent,
semen, 1607*
Glycogenesis,
avian tuberculosis, 1736
Gnotobiotics,
infectious bursal disease, 506
Gold thioglucose injection,
feed intake, 1574*
Graduate education status, 479
Graduate evaluation, 1611*
Graduate students,
sex profiles, 971
Granulomas,
parrots, 1661*
Granulosa cells,
steroidogenesis, 1617*
Growth characteristics,
partridge, 1620*
Growth depression,
rye extract, pectins, 2754
Growth hormone, 159
ontogenesis, turkeys, 906
protein-diet, 1588*
turkeys, ontogenesis, 906
Growth stimulant,
oxo-androstenedione, 390
Guar gum, 2105
Guinea fowl,
carcass yield, 657
diet regimens, 582
organoleptics, 543
Gut clearance,
Feed passage time, 374
GI motility,
turkey, ceca, 1925
Handling procedures,
egg shell breakage, 1587*
Hatchability,
broiler breeder, 1683
calcium-diet, 1284
lincomycin dip, 1641*
parabionts, 1558*
phosphorus-diet, 1284
preincubation treatment, 1559*
Hatchability studies,
broiler breeder, 1594*
Hatchery,
energy use, 16
Hatchery costs, 1668*
Hatchery fogging,
airborne bacteria, 714
Hatchery microbes, 1604*
Hatchery sanitation,
turkey, microbiology, 966
Hatching eggs,
flash heat treatment, microbiology, 1605*
Heat stress,
broilers, anticoccidials, 2421
layers, 1641*
performance data, diet composition, 1434
pullet, performance data, 1604*
restricted feeding, blood pressure, 2586†
stress, blood parameters, 1598*
survival time, sex difference, 2391
thyroxine injection, 1585*
Hemolytic complement activity,
broiler, 1221
Hemorrhage,
prostaglandins, 2567†
Hepatic trematodiasis, 1626*
Heritabilities, 1660*
Heritability,
abdominal fat, 1977
body weight, energy-diet, 173†
egg characteristics, 1624*
feed efficiency, 1674*
Herpesvirus,
vaccination-aerosol, Marek's, 54
Herpesvirus distribution,
turkey, 494
Herpesvirus localization,
turkey, blood cells, 258
Heterozygous translocation,
meiotic disjunction, 1584*
Histamine content,
ovarian follicles, 1658*
Histocompatibility,
B-locus, 1650*
Histocompatability antigen,
erythrocytes, 2158†
Holography,
egg shell strength, 2342
Hormones-blood,
strain differences, 159
House fly,
CGA 72662, 2207
Housing type,
broiler shrink, 1608*

Humoral immune response,
genetic analysis, 1363
Humoral immunity,
protein:calorie effect, 1595*
temperature-environment, 1666*
Hydroxy-3-methylglutarate,
quail, cholesterol metabolism, 383
Hyperthermia,
respiration rate, 468†
Hypothalmic lesions,
aphagia, 1629*
Immune competence,
age bird, 669
Immune function,
selenium-vitamin E, 1634*
Immune response,
coccidiosis, 38
layers, northern fowl mite, 34
mibolerone, 1591*
Newcastle disease, 1614*
Northern fowl mite, 1742
permethrin, 1568*
quail, steroid hormones, 1569*
splenomegally, 1630*
vitamin C megalevels, 1324
Immunity,
coccidiosis, 2221
Immunoglobulins,
base level differences, 1654*
Immunology,
Newcastle disease, 1592*
Inbreeding,
Rous sarcoma, 1172
turkey breeder, performance data, 1353
Inbreeding effects,
layers, performance data, 1155
Incubation,
egg position, 1573*
egg positioning, 1665*
light treatment, 1560*
turkey, poult quality, 1918
Incubation behavior,
broodiness, prolactin, 2550
Incubation duration,
body weight, 1615*
Indomethacin, 2803†
Inert fillers,
broilers,
clays, 1901
sand, 1907
layers,
clays, 1901
Inert gases,
storage stability, mechanically deboned meat, 1053
Infectious bursal disease, 1624,* 1949†
gnotobiotics, 506
microscopic lesion scoring, 1006
vaccination, 2708
Inheritance,
plumage color gene, 2373
Inositol,
erythrocyte permeability, 1624*
Insecticide use, 1673*
Insecticides,
northern fowl mite, 1208
Insemination frequency,
fertility, 363
Insemination time,
fertility, 2544
Instron,
bone strength, 724
Internal temperature,
fried chicken, sensory doneness, 719
Intestinal growth,
fiber, 1638*
Ionophorous drugs,
broiler, compensatory growth, 1001
Iron absorption,
aflatoxin, strain variation, 1566*
Judging methods, 1652*
K^n gene
sexual development, 2379
Lanthanides,
quail, oocytes, 2312
Lanthionine content,
feather meal, 1672*
Lasalocid, 1001, 1649*
amino acid interaction, 1673*
coccidiosis, 63
antibiotic compatability, 268
sulfur amino acids, 2538
Lasalocid-roxarsone,
coccidiosis, lesion reduction, 1145†
Lasota vaccine, 976
Lavera yeast,
amino acid availability, 115
Layer,
cage orientation, 1620*
Layers,
appetite enhancer, 1609*
cage design, 1567*
calcium requirement, 1645*
caloric intake, 1560*
D-alloisoleucine, 2519
daily feed intake, diet formulation, 1618*
egg production,
phosphorus-diet, 1897
salt-diet, 1897
egg shell quality,
calcium:phosphorus, 1480
minerals-diet, 1563*
egg shell strength, acid-base balance, 1294
energy requirement, 1657*
energy utilization, protein-diet, 2508
ethoxyquin, 1591*
fat, true metabolizable energy, 369
fatty liver syndrome, 1648*
feathering, floor design, 2202
fecal sterols, lipids-diet, 325
feed intake,
body weight effect, 1596*
model prediction, 2500
feed restriction, 1593,* 1656,*
feeding behavior, 1647*
feeding programs, 1609*
genetic gain, epistatic response, 1582*
genetic selection, stress, 1985
heat stress, 1641*
immune response, northern fowl mite, 34
inert fillers, clays, 1901
lighting program, 1586*
lysine requirement, 594, 1589*,
molting,

behavior, 215
light restriction, 215
nutrient requirements, 1559*
nutritive value,
aerobic poultry manure, 1178
performance data,
ammonium sulphate, 119
amputation, 1559*
cage density, 1090
calcium-diet, 82
energy-diet 1090
feed intake, 1560*
feed restriction, 693
inbreeding effects, 1155
molting, 1566*
municipal sludge, 1565*
nutrient density, 1082
pelleting, 1643*
phosphorus-diet, 82, 598
protein-diet, 1155
protein:energy, 1451
pryferm, 1587*
salt-diet, 82
sodium:chloride, 1593*
vitamin D_3, 598
phosphorus metabolism, 1639*
phosphorus requirement, 1615*
phosphorus-diet, 1568*
production trait correlation, 654
protein requirement, 1595*
replacement analysis, 1563*
temperature-environment, 1633*
energy utilization, 2071
watering-intermittent, 961
time-limit feeding, 1824
zinc toxicity, 2024
Laying flock records, 1597*
Laying performance,
pullet maturity,
light treatment, 11
Lead toxicity,
calcium-diet, 1860
geese, 1596*
phosphorus-diet, 1860
Leanness,
genetic selection, 1589*
Least cost diets,
egg production functions, 224
Lecithin-diet,
tallow absorption, 1652*
Lectin induction,
wattle, giant cell formation, 2151
Leg abnormalities,
broiler,
cage rearing, 308
genotype interaction, 748
turkey, 1651*
Leg problems,
litter treatment, sorbic acid, 1564*
sorbic acid, litter treatment, 1564*
Leg weakness,
broiler, 459†
Legumes,
chick bioassay, 1649*
Lesion reduction,
coccidiosis, lasalocid-roxarsone, 1145†
Lethal temperature,
turkey, 2578†
Leukosis,
envelope genes, 1655*
Light refractoriness,
partridge, sexual response, 2145
Light restriction,
layers, molting, 215
Light transmission,
broiler, pigmentation, 1350†
Light treatment,
broiler breeder, performance data, 1258
incubation, 1560*
pullet maturity, laying performance, 11
Light wavelength,
cockerel performance, 1646*
Lighting,
body-checked eggs, 2703
broiler,
performance data, 2697
thyroid function, 647
sexual development, 1572*
Lighting of feed,
pigmentation-skin, 1608*
Lighting program,
broiler, 1550,† 1590,* 1670,*
dwarf broiler breeder, 1629*
layers, 1586*
turkey breeder, molting, 1594*
Lighting treatment,
turkey broiler, performance data, 100
Lighting × diet energy,
broiler, performance data, 1582*
Lighting-ahemeral, 1628*
estradiol, 1631*
progesterone, 1631*
Lighting-intermittent, 868, 1953,†
broiler,
feed conversion, 1342†
performance data, 576
brown egg breeds, 2397
Lincomycin dip,
hatchability, 1641*
Lipase,
bile acids, tallow absorption, 2738
Lipid composition,
cockerel tissues, 2267
mechanically deboned meat, 1043
Lipid metabolism,
butanediol-dioctancate, 2099
Lipid peroxidation,
muscle tissue, 347
Lipid synthesis,
dwarf, 2189
Lipids-diet,
layers, fecal sterols, 325
Lipogenesis,
biotin deficiency, mercury-diet, 1600*
genetic selection, 1621*
pantothenate deficiency, 1597*
Lipogenic enzymes, 1485
Lipoproteins,
serum injection, 1581*
Litter condition,
copper-diet, 1600*
Litter economics,
broiler, 1658*
Litter microbes,

fungistatics in diet, 1557*
Litter treatment,
feathering, breast blisters, 1564*
leg problems, sorbic acid, 1564*
Litter-newspaper, 1559*
Liver fat,
corticosterone, 1864
Liver metabolism,
embryology, aminoguanidine, 1114
Louse, 1754
Lunaria oil,
chick growth, organ lipids, 1455
Lupin seeds,
nutritive value, 1675*
Luteinizing hormone, 159, 1625*
protein-diet, 1588*
Lymphoid leukosis,
detection methods, 1606*
egg production, mortality, 2165
genetic selection, 2165
viral loci, 1597*
Lysine, 893
Lysine analogues,
turkey, 1852
Lysine assay,
wheat, 799
Lysine requirement,
layers, 594, 1589,*
turkey, 1569,* 1647,* 1652,*
turkey breeder, 1589*
Magnesium, 1672*
Magnesium toxicity,
bone lesions, 2403
phosphorus utilization, 1989
Magnesium-plasma,
egg shell quality, 2336
Mammillary structure,
egg shell strength, 1667*
Management program,
turkey, 1583*
Manganese-diet,
egg shell quality, 1567*
Manure,
chemical composition, 1579*
Marek's disease,
vaccination, 2002
vaccination-aerosol,
herpesvirus, 54
Marigold extract,
pigmentation-yolk, 1608*
Marinating chicken,
deep-fat frying, 1592*
Maternal determinants,
egg size, 1582*
Measurement,
egg shell bacteria, 28
Meat and bone meal,
nutritive value, 1832
Meat flavor,
microflora, 1660*
Mechanically deboned meat,
flake cutting, 1031
fluoride content, 2570†
lipid composition, 1043
poultry rolls, 1632*
seasoning, 1031
storage stability, 1788
inert gases, 1053
vacuum packaging, 1053
structured protein fiber, 1031
texture profile, 69
Meiotic disjunction,
heterozygous translocation, 1584*
Mercury toxicity, 1587*
quail, 2216
Mercury-diet,
biotin deficiency,
lipogenesis, 1600*
Metabolic rate,
divergent selection,
feed efficiency, 2692
genetic selection, 1664*
Metabolizable energy, 1579*
blood meal, 1337†
fat mixtures, 1591*
fat source, extra caloric effect, 2129
fish meal, 1337†
methodology, 1552,† 1598*
gelatin capsule, 1601*
rapeseed products, 1430
wheat, 1337†
Methane generation, 1622*
Methane production, 1571*
Methanol-grown yeast,
nutritive value, 1471
Methionine absorption,
cystine-diet, 1885
Methionine-copper,
broiler, performance data, 1246
Methionine:cystine, 1878
Methionine-diet,
body composition, 1613*
geese, 1665*
Methionine hydroxy analog, 1573,* 1669,* 2480, 2485
Methionine requirement,
antibiotics, 110
broilers, 2111
chick, 1584*
monensin, 1558*
turkey, 849, 1268
Methionine:vitamin B_6,
broiler, 1603*
Methodology,
broiler, fat in carcass, 298
metabolizable energy, 1552,† 1598*
gelatin capsule, 1601*
true metabolizable energy, 569
alfalfa, 1275
Mibolerone,
immune response, 1591*
Microangiographs,
dystrophic muscle, 1640*
Microbiology,
broiler shelf life,
consumer methods, 743
sorbate dip, 726
duck processing, 1795
egg shell, 1641*
hatching eggs, flash heat treatment, 1605*
turkey, hatchery sanitation, 966
Microflora,
meat flavor, 1660*
scald water, 1670*

Microscopic lesion scoring,
infectious bursal disease, 1006
Microwave radiation,
spermatocyte metabolism, 1616*
Microwaves,
cardiac morphology, 1563*
Mineral availability,
rapeseed meal, 155
Minerals-diet,
layers, egg shell quality, 1563*
Mitogen stimulation, 1630*
Mixing time,
extruded egg products, puffing characteristics, 1611*
Model estimation,
choline-methionine, 1073
Model prediction,
broiler, amino acid requirements, 2470
layers, feed intake, 2500
Moisture content,
trypsin inhibitor, soybean meal urease index, 2300
Molasses, 1627*
Mold inhibitors,
bioassay, 1663*
chick assay, 1572*
Molting,
albumen quality, 1711
blood constituents, 1610*
body weight loss, 1558*
broiler breeder, 1572,* 1657*
layers,
behavior, 215
light restriction, 215
performance data, 1566*
serum biochemics, 1563*
turkey breeder, lighting program, 1594*
Monensin, 1001, 1639,*
coccidiosis, 1649*
methionine requirement, 1558*
sodium requirement, 1612*
Monensin resistance,
turkey, *Eimeria meleagrimitis,* 1731
Monensin sensitivity,
turkey, coccidiosis, 1722
Monensin toxicity, 1818
Morphology,
bursa of Fabricius, 1614*
Mortality,
egg production, lymphoid leukosis, 2165
Mottled yolks
vitelline membrane, ultrastructure, 2449
Mottling gene,
plumage color, 1370
Multiple ejaculation,
turkey breeder, fertility, 1590*
Municipal sludge,
corn, nutritive value, 1561*
layers, performance data, 1565*
Muscle parameters,
vitamin A deficiency, 2225
Muscle tissue,
lipid peroxidation, 347
Mussels,
nutritive value, 2365†
Mycoplasma gallisepticum,
culture medium, 1579*
Mycoplasma synoviae,
red blood cells, 1548†
Myocardial glycogen,
furazolidone, cardiomyopathy, 1510
blood cell differentiation, 1575*
Narasin,
coccidiosis, 2008
Nest behavior,
turkey breeder, prolactin, 1603*
Nest training,
pullets, 1596*
Neural degeneration, 1658*
Newcastle disease,
broiler breeder, vaccination, 702
immune response, 1614*
immunology, 1592*
vaccination, 240, 976
Niacin requirement,
turkey, 1675*
Nicotinic acid metabolism,
chromium, 1656*
Nitrovin, 412
Nonchemical control,
northern fowl mite, 2199
Nonprotein nitrogen, 1627,* 2492
Norepinephrine, 1599*
Northern fowl mite, 1745
acaricides, 2424
immune response, 1742
insecticides, 1208
layers, immune response, 34
nonchemical control, 2199
pyrethroids, 1211
vent feather clipping, 1226
Nosiheptide,
salmonella, antibiotic, 1405
Nuclear magnetic resonance,
egg quality, 1640*
Nutri-bond,
pellet binder, 659
Nutrient density,
layers, performance data, 1082
turkey, 1602*
Nutrient requirements,
layers, 1559*
Nutritional by-product,
processing wastewater, ultrafiltration, 247
Nutritional deficiency,
class demonstration, 1583*
Nutritive value,
beans, 572
brewers dried grains, 2361†
cement kiln dust, 1290
clover, 2355†
condensed molasses solubility, 673
corn, municipal sludge, 1561*
egg white, 1800
fish-enzyme digested, 1565*
fly ash, 2080
fly pupae, 2514
layers, aerobic poultry manure, 1178
lupin seeds, 1675*
meat and bone meal, 1832
methanol-grown yeast, 1471
municipal sludge, corn, 1561*
mussels, 2365†
proso millet, 1632*
rapeseed meal, 585

rye, 758
gamma irradiation, 2287
sorghum, 1632*
soybean meal, 1648*
sunflower seed, 2273
turfgrass clippings, 404
turkey meat, cooking temperature, 2725
wheat screening, 333, 1674*
Oats,
feed passage rate, 2136
Obesity,
genetic selection, 1589*
Ochratoxin A,
broiler, performance data, 1254
Oily bird syndrome, 1567,* 2256
copper-diet, 1636*
energy-diet, 731
processing conditions, 731
temperature-environment, 731
Omelet production,
energy use, 1036
Omelets,
organoleptics, pasteurized whole egg, 293
Ontogenesis,
turkeys, growth hormone, 906
Oocytes,
quail, lanthanides, 2312
Oral dosing,
salmonella-eggs, 1067
Oral immunization,
erysipelas, 1587*
Organ lipids,
chick growth, lunaria oil, 1455
Organ size,
quail, steroid hormones, 1564*
Organ weights,
coccidiosis, 1608*
Rous sarcoma virus, 1615*
Organoleptics,
broiler,
rapeseed-diet, 550, 558
squid meal-diet, 2564†
broiler carcass, rapeseed meal, 2437
chickenburger, 1579*
chickeneggburger, 1579*
guineas, 543
pasteurized whole egg, omelets, 293
Ovarian follicles,
histamine content, 1658*
Ovarian tissue examination, 1634*
Oviduct,
adrenergic receptors, 2331
Oviduct composition,
egg shell formation, 635
Oviductal pH,
oviposition time, 2793
Oviductal tissues,
egg shell quality, 2787
Oviposition,
phosphorus-blood, 1639*
Oviposition time,
egg shell quality, feed time restriction, 2749
oviductal pH, 2793
Ovo cholesterol, 1662*
Ovulation,
adrenal glands, 2760
Ovulation cycle,
prostaglandins, 1618*
Oxo-androstenedione,
growth stimulant, 390
Oxygen affinity,
blood gases, tonometry, 2782
Oxygen consumption,
pinealectomy, 2574†
Pancreatic glucagon,
radioimmunoassay, 86
Pantothenate deficiency,
lipogenesis, 1597*
Pantothenic acid, 1664*
bioavailability, 1663*
Paprika oleoresin,
pigmentation-yolk, 1608*
Parabionts,
hatchability, 1558*
Parallel line assay,
amino acids, soybean meal, 149
Parrots,
granulomas, 1661*
Part record,
genetic selection, egg production, 677
Partridge,
growth characteristics, 1620*
light refractoriness, sexual response, 2145
photorefractoriness, 1662*
reproductive performance, 1675*
Parts yield,
broiler crosses, eviscerated yields, 1755
Pasteurella anatipestifer,
ducks, chemotheraputic effects, 1027
Pasteurized whole egg,
organoleptics, omelets, 293
Pathogenicity,
chicks, aspergillus, 1566*
Eimeria dispersa, 1569*
Pathology,
respiration, 2666
Pectic enzyme, 2105, 2287
Pectins,
growth depression, rye extract, 2754
Pectoral myopathy, 1655*
Pellet binder,
nutri-bond, 659
Pellet *vs.* mash,
quail, 932†
Pelleting,
layers, performance data, 1643*
Pen height,
bone strength, 1638*
broilers, bone strength, 1568*
Penicillic acid,
broiler, toxicity, 1203
Penicillin, 110, 412, 2105, 2287
Penicillium lanosum, 1644*
citrinin, 2055
gizzard erosion, corn mold, 708
toxin isolation, 1569*
Pentachlorphenol,
broiler,
bioaccumulation, 1018
toxicity, 1018
Performance data,
broiler, 786
ammonia-atmosphere, 486
cage rearing, 681

carbon dioxide, 2400
delayed placement, 1215
energy in diet, 576
energy-protein, 1304
feeder space, 2697
lighting, 2697
lighting X diet energy, 1582*
lighting-intermittent, 576
methionine-copper, 1246
ochratoxin A, 1254
sucrose-diet, 1636*
tropics, 828
water equipment, 489
zearalenone, 531
broiler breeders,
light treatment, 1258
protein-diet, 1258
broilers,
hatchery fogging, 714
thyroid hormone, 888
layers,
ammonium sulphate, 119
amputation, 1559*
cage density, 1090
calcium-diet 82
energy-diet 1090
feed intake, 1560*
feed restriction, 693
inbreeding effects, 1155
molting, 1566*
municipal sludge, 1565
nutrient density, 1082
pelleting, 1643*
phosphorus-diet, 82, 598
protein-diet, 1155
protein:energy, 1451
pryferm, 1587*
salt-diet, 82
sodium:chloride, 1593*
vitamin D_3, 598
pullet,
carcass composition, 1839
heat stress, 1604*
quail, social dominance, 424
turkey, 1237
turkey breeder, inbreeding, 1353
turkey broiler,
lighting treatment, 100
rapeseed meal, 100
Pericentric inversion,
chromosome aberration, 1584*
Permethrin,
immune response, 1568*
Peroxide administration,
selenium utilization, glutathione peroxidase, 141
Phase feeding,
broilers, 1619,* 2060
Phenylalanine, 1584*
PHMB,
salmonella elimination, 1573*
Phosmet, 1208
Phosphate-plasma,
egg shell quality, 2336
Phosphorus, 1672*
Phosphorus availability,
ammonium phosphate, 1280
single cell protein, 1580*
Phosphorus metabolism,
layers, 1639*
Phosphorus requirement,
layers, 1615*
pullets, 812
Phosphorus source,
curaphos, 1658*
Phosphorus utilization,
magnesium toxicity, 1989
Phosphorus-blood,
oviposition, 1639*
specific gravity, 1618*
Phosphorus-diet,
hatchability, 1284
layers, 1568*
egg production, 1897
performance data, 82, 598
lead toxicity, 1860
turkey breeder, 2077
Phosphorus-plasma, 444
Photorefractoriness,
partridge, 1662*
Photosensitivity,
testes, circadian rhythm, 868
Photostimulation,
eyes role, 1122
Physiochemical properties,
rye, gamma irradiation, 253
Physiological changes,
quail, adrenocorticotropin, 860
Physiological effects,
broiler, gentian violet, 234
Physiological response,
corticosterone-diet, 516
Phytohemagglutinin,
wattle cell morphology, 616
Pickled gizzards,
salt content, 537
vinegar content, 537
Pigmentation,
broiler, light transmission, 1350†
egg shell strength, 1661*
Pigmentation-skin,
lighting of feed, 1608*
Pigmentation-yolk,
marigold extract, 1608*
paprika oleoresin, 1608*
Pineal gland lipids, 2771
Pinealectomy,
broiler, thyroid function, 647
comb development, 918†
oxygen consumption, 2574†
temperature-environment, temperature-body organs, 1132
testicular development, 918†
Pituitary weight,
tryptophan, 1577*
Plasma nutrients,
turkey breeder, 444
Plumage color,
mottling gene, 1370
Plumage color gene, 2369, 2386
inheritance, 2373
Potassium:chloride, 1294
Potentiation,
tetracycline, 1573*
Poult quality,

turkey, incubation 1918
Poultry carcass projects, 1664*
Poultry rolls,
mechanically deboned meat, 1632*
Prediction equations,
broiler, abdominal fat, 945
egg production, 937†
Preincubation treatment,
hatchability, 1559*
Preservation,
spermatozoa, 941†
Pro-pak, 91
Processing conditions,
oily bird syndrome, 731
Processing energy use, 1956†
Processing parameters,
broiler, 1571*
Processing plant,
sanitation program, 1599*
Processing poultry waste, 1627*
Processing wastewater,
nutritional by-product, ultrafiltration, 247
Production correlations,
turkey, 1616*
Production trait correlation,
layers, 654
Progesterone, 2797†
egg shell quality, 1565*
egg white protein secretion, 643
embryology, 2559†
lighting-ahemeral, 1631*
radioimmunoassay, 1634*
Prolactin, 159
broiler, fattening, 1328
broodiness, incubation behavior, 2550
turkey breeder, 1646*
broodiness, 1653*
nest behavior, 1603*
serotonin, 1602*
Prolactin levels,
turkey breeder, 1588*
Prolonged activity,
spermatozoa survival, tissue culture fluid, 164
Proso millet,
nutritive value, 1632*
Prostaglandin A_1,
turkey breeder, reproductive performance, 1623*
Protaglandins,
hemorrhage, 2567†
ovulation cycle, 1618*
Protein:calorie effect,
humoral immunity, 1595*
Protein-calorie restriction,
tumors,
Rous sarcoma virus, 523
Protein-diet,
broiler breeder,
performance data, 1258
pullet uniformity, 1650*
growth hormone, 1588*
layers,
energy utilization, 2508
performance data, 1155
luteinizing hormone, 1588*
turkey breeder, 1590*
reproductive performance, 352, 358, 363
Protein:energy,
broiler, body fat, 1499
cut-up parts, 1605,* 1606*
layers, performance data, 1451
Protein polymorphisms,
genetic selection, body size, 1574*
Protein requirement,
broiler breeder, 470†
layers, 1595*
pullet, 1574,* 1586,* 1601,* 1613*
turkey, 1268
Protein restriction,
broiler, carcass quality, 378
Protein source,
single cell protein, 1580*
turkey breeder, 1610*
vitamin B_6, requirement, 95
Proximate analysis,
true metabolizable energy,
additivity, 805
Pryferm,
layers, performance data, 1587*
Puffing characteristics,
extruded egg products, mixing time, 1611*
Pullet,
performance data,
carcass composition, 1839
heat stress, 1604*
protein requirement, 1574,* 1586,* 1601,* 1613*
Pullet maturity,
laying performance, light treatment, 11
Pullet uniformity,
broiler breeder, protein-diet, 1650*
Pullet weight sampling, 1635*
Pullets,
calcium self-selection, 1593*
nest training, 1596*
phosphorus requirement, 812
restricted feeding,
coccidiosis, 697
sodium-diet, 1633*
Pulmonary biogenic amines, 921†
Purine metabolism, 2250
Pyrethroids,
northern fowl mite, 1211
Pyridoxine deficiency,
broiler, 1584*
Quail,
abdominal fat, 2462
adrenocorticotropin,
physiological changes, 860
aflatoxicosis,
sexual development, 1995
amino acid requirement, 2029
androgens, 1646*
carcass composition, 1581*
cholesterol metabolism,
hydroxy-3-methylglutarate, 383
genetic selection,
feed efficiency, 6
genetics,
yolk precursor, 1644*
immune response,
steroid hormones, 1569*
mercury toxicity, 2216
oocytes,
lanthanides, 2312
organ size,

steroid hormones, 1564*
pellet *vs.* mash, 932†
performance data,
social dominance, 424
reverse genetic selection,
body weight, 1149
seed preference, 1589*
sex ratio,
reproductive performance, 1339†
vitamin E deficiency, 2352†
Quail inheritance,
DDT residue, 1183
Quality after tumbling,
turkey breast muscle, 1611*
Radioimmunoassay,
calcitonin, 1557*
corticosterone, 900
pancreatic glucagon, 86
progesterone, 1634*
Rancidity,
turkey meat,
antioxidants, 2733
Rapeseed-diet,
broiler, organoleptics, 550, 558
Rapeseed meal,
amino acid availability, 605
broiler carcass,
consumer evaluation, 2444
organoleptics, 2437
choline content, 611
mineral availability, 155
nutritive value, 585
turkey broiler,
performance data, 100
Rapeseed products,
amino acid availability, 1430
metabolizable energy, 1430
Rearing program,
broiler breeder, semen production, 1571*
Recessive polydactyly, 1623*
Recycling layers,
sodium-diet, 1643*
Red blood cells,
Mycoplasma synoviae, 1548†
Replacement analysis,
layers, 1563*
Reproductive performance,
broiler breeder,
cage *vs.* floor, 2525
restricted feeding, 2583†
cockerel, aflatoxin, 1660*
ducks, 1970
partridge, 1675*
quail, sex ratio, 1339†
rooster, aflatoxin, 1311
turkey, restricted feeding, 77
turkey breeder, 417
economic analysis, 1395
energy source, 1485
prostaglandin A_1, 1623*
protein-diet, 352, 358, 363
zearalenone, 1577*
Requirement,
vitamin B_6, protein source, 95
Resistance,
coccidiosis,
delayed hypersensitivity, 1715
Resistance to infection,
genetic selection,
antibody titre, 205
Resource conservation, 961
Respiration, 2641
air flow, anatomy, 2642
gas exchange, 2654
pathology, 2666
ventilation, 2680
Respiration rate,
hyperthermia, 486†
Restricted feeding,
broiler breeder, reproductive performance, 2583†
heat stress, blood pressure, 2586†
pullets, coccidiosis, 697
turkey, reproductive performance, 77
Reverse genetic selection,
quail, body weight, 1149
Rice bran, 1628,* 1651*
Rickets, 2403
Rinse volume,
broiler carcass, salmonella, 1560*
Ronnel, 1208
Rooster,
aflatoxin, reproductive performance, 1311
Rous sarcoma,
inbreeding, 1172
Rous sarcoma virus, 1672*
genetic resistance, 1613*
organ weights, 1615*
tumors,
genotype, 523
protein-calorie restriction, 523
Roxarsone, 1654*
antibiotic compatability, coccidiosis, 268
Rye, 2105
nutritive value, 758
gamma irradiation, 2287
physiochemical properties, gamma irradiation, 253
Rye extract,
growth depression, pectins, 2754
Salinomycin, 1001, 1587*
coccidiosis, 2412
Salmonella, 1645*
antibiotic, nosiheptide, 1405
antimicrobials, 44
broiler carcass,
frozen storage, 2431
rinse volume, 1560*
egg shell contamination, 289
formalin treatment, 2717
frozen meat, 1557*
Salmonella control,
broiler, 1583*
Salmonella detection, 1614,* 1630*
Salmonella elimination,
PHMB, 1573*
Salmonella monitoring,
broiler, 1596*
Salmonella therapy,
antimicrobials, 1187
Salmonella-eggs,
oral dosing, 1067
Salt content,
pickled gizzards, 537
Salt treatment,
spent fowl breasts, 1632*

Salt-diet,
layers,
egg production, 1897
performance data, 82
Sand,
broilers,
inert fillers, 1907
Sanitation program,
processing plant, 1599*
Saponins,
alfalfa, cholesterol-yolk, 2744
Scald water,
microflora, 1670*
Scaleless broiler, 1663*
Scrambled egg characteristics, 1592*
Seasoning,
mechanically deboned meat, 1031
Seed preference,
quail, 1589*
Selenium, 347
chicks, glutathione peroxidase, 135
Selenium deficiency,
vitamin E metabolism, 1595*
Selenium requirement,
turkey, 1653*
Selenium utilization,
peroxide administration, glutathione peroxidase, 141
Selenium-diet,
white muscle disease,
vitamin E-diet, 2088
Selenium-vitamin E,
immune function, 1634*
Semen,
glycerated diluent, 1607*
Semen extender,
antibacterials, 274
dimethylsulfoxide, cytotoxic effects, 1142†
Semen freezing, 2765
Semen production,
broiler breeder, rearing program, 1571*
sodium-diet, 1633*
temperature effect, 1585*
Semen respiration, 1650*
Semen volume, 363
Semen-frozen,
fertility, dimethylsulphoxide, 1673*
fertilization, 1659*
genetic selection, fertility, 1578*
Seminiferous tubules, 453†
Sensory doneness,
fried chicken, internal temperature, 719
Serotonin,
turkey breeder,
prolactiin, 1602*
Serum alkaline phosphatase,
turkey, 1645*
Serum biochemics,
molting, 1563*
Serum composition,
egg products, 1607*
Serum concentrations,
calcium binding proteins, 874
Serum injection,
lipoproteins, 1581*
Serum sodium, potassium,
corticosterone, 1619*
Sex determination, 2369
Sex difference,
heat stress, survival time, 2391
Sex profiles,
graduate students, 971
Sex ratio,
quail, reproductive performance, 1339†
Sex ratio effect,
egg production, 1546†
Sexual behavior,
female model *vs.* live hen, stimulus, 624
Sexual development,
K^n gene, 2379
lighting 1572*
quail, aflatoxicosis, 1995
Sexual maturation,
aflatoxicosis, 1647*
aflatoxin, 1750
Sexual maturity,
ambient temperature, 2532
Sexual response,
partridge, light refractoriness, 2145
Shell gland fluid, 438
Single cell protein,
amino acid balance, 1598*
phosphorus availability, 1580*
protein source, 1580*
Skeletal muscle,
vasoactives, 1651*
Skin composition,
broiler, 2247
Smoked broilers,
yield characteristics, 1612*
Smoked turkey,
brine equilibration, 1642*
Social dominance,
quail, performance data, 424
Sodium bentonite,
ducks, 2160†
Sodium chloride, 1294
broiler, 1562*
layers, performance data, 1593*
Sodium-diet,
pullets, 1633*
recycling layers, 1643*
semen production, 1633*
Sodium nalidixate, 44
Sodium requirement,
monensin, 1612*
Soft-shells,
egg shell quality, 1674*
Solar heating, 1633*
Sorbate dip,
broiler shelf life, microbiology, 726
Sorbic acid,
litter treatment, leg problems, 1564*
Sorbic acid-diet,
broiler, coccidiostat effect, 1591*
Sorghum,
nutritive value, 1632*
Soybean flakes,
true metabolizable energy, 2358†
Soybean meal,
amino acid availability, 605
choline availability, 1649*
nutritive vlaue, 1648*
parallel line assay, amino acids, 149

turkey, amino acid digestibility, 845
Soybean meal quality, 1638*
Soybean meal urease index,
moisture content, trypsin inhibitor, 2300
Soybeans,
trypsin inhibitor, 328
Soysterol, 325
Specific gravity,
egg shell color, egg shell strength, 1335†
phosphorus-blood, 1618*
Spent fowl breasts,
salt treatment, 1632*
Sperm gland activity,
turkey breeder, 1593*
Sperm host gland, 1655*
Sperm respiration,
fertility, 1570*
Sperm transport, 1581*
Sperm-oviduct relation, 1667*
Spermatocyte metabolism,
microwave radiation, 1616*
Spermatogenesis,
steroid hormones, 1943☆
Spermatozoa,
preservation, 941†
Spermatozoa survival,
tissue culture fluid, prolonged activity, 164
SPF breeders,
adenovirus isolation, 21
Splenomegally,
immune response, 1630*
Squid meal-diet,
broiler, organoleptics, 2564†
Steroid hormones,
quail,
immune response, 1569*
organ size, 1564*
spermatogenesis, 1943
Steroidogenesis,
granulosa cells, 1617*
Stimulus,
female model *vs.* live hen, sexual behavior, 624
Storage deterioration,
chalazae, chemical composition, 1416
Storage method,
egg shell treatment, 1612*
Storage stability,
mechanically deboned meat, 1788
inert gases, 1053
vacuum packaging, 1053
Strain differences,
hormone-blood, 159
Strain effect,
blood constituents, 1610*
Strain variation,
aflatoxin, iron absorbtion, 1566*
Stress,
heat stress, blood parameters, 1598*
layers, genetic selection, 1985
Stress effects,
broilers, 1668*
Structured protein fiber,
mechanically deboned meat, 1031
Student backgrounds, 1609*
Sucrose-diet,
broiler, performance data, 1636*
Sugar beet molasses, 2492
Sulfamethazine, 44
Sulfathiazole, 44
Sulfur amino acids,
broiler, copper-diet, 1099
feather meal, 1627*
lasalocid, 2538
Sunflower seed,
nutritive value, 2273
Survival time,
heat stress, sex difference, 2391
Tallow,
true metabolizable energy, corn fraction effect, 1505
Tallow absorption,
bile acids, lipase, 2738
lecithin-diet, 1652*
Tamoxifen,
egg quality, 1661*
Tannic acid,
aflatoxin, 2417
Tarsometatarsal spurs, 172†
Teaching,
egg quality, 2581†
Teaching assistant, 1657*
Teaching large classes, 1588*
Teaching scale production, 1625*
Temperature-body organs,
temperature-environment,
pinealectomy, 1132
Temperature control,
brooding, 231
Temperature effect,
semen production, 1585*
Temperature-environment,
amino acid balance, 1603*
broiler yeild, 456†
carcass holding, 1612*
ducks, feed passage time, 2322
humoral immunity, 1666*
layers, 1633*
energy utilization, 2071
watering-intermittent, 961
oily bird syndrome, 731
pinealectomy, temperature-body organs, 1132
vitamin requirements, 782
Temperature fluctuation,
broilers,
energetic efficiency, 2121
Temperature stress,
embryology, 1575*
Tenderizing marinade, 1597*
Teratogenic index,
embryo response, azodrin treatment, 473
Testes,
photosensitivity, circadian rhythm, 868
Testicular development, 2379
pinealectomy, 918†
Testis histology,
adenohypophysectomy, 1538
Testosterone,
antibody response, 1642*
Tetracycline,
potentiation, 1573*
Texture profile,
mechanically deboned meat, 69
Textured meat, 1635*
Thermal stress,

antibody synthesis, 985
Thermoregulation, 2189
Thiouracil, 893, 2391
Thyroid activity, 893
Thyroid function,
broiler,
lighting, 647
pinealectomy, 647
energy metabolism, fatty acid deficiency, 1581*
Thyroid hormone,
broilers, performance data, 888
carcass composition, 1636*
Thyroid metabolism,
tryptophan, 1577*
turkey, 628
Thyrotropin release hormone, 1658*
Thyroxine, 2391
Thyroxine injection,
heat stress, 1585*
Tibial dyschondroplasia, 1630,* 1669*
aflatoxicosis, feed restriction, 1565*
broiler,
aflatoxicosis, 991
feed restriction, 991
cartilage abnormality, 1892
Time-limit feeding,
layers, 1824
Tissue culture fluid,
spermatozoa survival, prolonged activity, 164
Tissue residues,
broiler breeder, gentian violet, 500
Tocopherol,
encephalopathy-chick, breeder diet, 264
Tonometry,
oxygen affinity, blood gases, 2782
Toxicity,
broiler,
penicillic acid, 1203
pentachlorphenol, 1018
Toxin isolation,
Penicillium lanosum, 1569*
Toxin synergism,
aflatoxin:ochratoxin, 1623*
Tropics,
broiler, performance data, 828
True metabolizable energy, 1941†
additivity, 1561*
proximate analysis, 805
age bird, 396
alfalfa, 939†
methodology, 1275
commercial diets, 808
corn fraction effect, tallow, 1505
fat utilization, 316
layers,
fat, 369
methodology, 569
soybean flakes, 2358†
tallow, corn fraction effect, 1505
Trypsin inhibitor,
moisture content, soybean meal urease index, 2300
soybeans, 328
Tryptophan,
pituitary weight, 1577*
thyroid metabolism, 1577*
Tumors,
genotype,
Rous sarcoma virus, 523
protein-calorie restriction,
Rous sarcoma virus, 523
Turfgrass clippings,
nutritive value, 404
Turkey, 1221
aflatoxicosis, biochemical changes, 1607*
amino acid digestibility, soybean meal, 845
blood cells, herpes virus localization, 258
bone growth, 1644*
bone mineral mass, vitamin D status, 563
carcass composition, 1237
carcass traits, fat source, 1648*
cardiomyopathy, electrocardiograph, 1515
ceca,
GI motility, 1925
cellulose digestion, 1602*
coccidiosis, monensin sensitivity, 1722
composition, yolk sac, 1521
cystine requirement 849
endocrine profile, 1674*
environment temperature, energy requirement, 2290
fat-diet, 1659*
fish meal, unidentified growth factor, 128
genetic selection,
body weight, 1385
broodiness, 1385
egg production, 1385
hatchery sanitation, microbiology, 966
herpesvirus distribution, 494
leg abnormalities, 1651*
lethal temperature, 2578†
lysine analogues, 1852
lysine requirement, 1569,* 1647,* 1652*
management program, 1583*
methionine requirement, 849, 1268
niacin requirement, 1675*
nutrient density, 1602*
performance data, 1237
poult quality, incubation, 1918
production correlations, 1616*
protein requirement, 1268
restricted feeding, reproductive performance, 77
selenium requirement, 1653*
serum alkaline phosphatase, 1645*
thyroid metabolism, 628
vitamin D status, 1606*
yield effects, 1616*
yolk sac, composition, 1521
zinc-tissues, 1655*
Turkey bacon, 1783
Turkey breast muscle,
quality after tumbling, 1611*
Turkey breeder,
artificial insemination, 1637*
broodiness,
dopanine receptor block, 1126
prolactin, 1653*
cage density, 1589*
calcium-diet, 2077
calcium homeostasis, 1638*
economic analysis, reproductive performance, 1395
egg quality, 417
energy source, reproductive performance, 1485
fertility, multiple ejaculation, 1590*

fertility duration, 1631
genetic traits, 1694
lysine requirement, 1589*
molting, lighting program, 1594*
nest behavior, prolactin, 1603*
performance data, inbreeding, 1353
phosphorus-diet, 2077
plasma nutrients, 444
prolactin, 1646*
serotonin, 1602*
prolactin levels, 1588*
protein-diet, 1590*
protein source, 1610*
reproductive performance, 417
economic analysis, 1395
energy source, 1485
prostaglandin A_1, 1623*
protein-diet, 352, 358, 363,
sperm gland activity, 1593*
Turkey broiler,
lighting treatment, 100
rapeseed meal, 100
Turkey meat,
nutritive value, cooking temperature, 2725
rancidity, antioxidants, 2733
Turkey muscle,
folic acid content, 303
vitamin B_{12} content, 303
Turkey plasma,
estrogen-novel, 1588*
Turkey yield,
fat-diet, 1642*
Turkeys,
fat grade, bone growth, 1610*
growth hormone, ontogenesis, 906
T_2 toxin,
vitamin E metabolism, 1594*
Ultrafiltration,
processing wastewater,
nutritional by-product, 247
Ultrasonic vibration,
egg cleaning, 737
Ultrastructure,
vitelline membrane, mottled yolks, 2449
Unidentified factors,
bioassay, 1637*
Unidentified growth factor,
turkey, fish meal, 128
Uric acid concentration,
cecal contents, 1193
Uric acid determination,
digestibility trials, 662
Uric acid metabolism, 2250
Uricemia,
genetical selection, 951
Uterine motility, 2803†
Uterus lipid distribution, 1557*
Vaccination,
broiler breeder, Newcastle disease, 702
infectious bursal disease, 2708
Marek's disease, 2002
Newcastle disease, 240, 976
Vaccination-aerosol,
herpesvirus, Marek's, 54
Vacuum packaging,
storage stability, mechanically deboned meat, 1053
Vaginal motility, 2803†
Vanadium, 1628*
Vasoactives,
skeletal muscle, 1651*
Vent feather clipping,
northern fowl mite, 1226
Ventilation,
respiration, 2680
Ventilation control,
brooding, 231
Videotape teaching,
endocosm, 1619*
Vinegar content,
pickled gizzards, 537
Viral loci,
lymphoid leukosis, 1597*
Vitamin A deficiency,
muscle parameters, 2225
Vitamin B_{12},
fat tolerance, 2279
Vitamin B_{12} content,
turkey muscle, 303
Vitamin B_6,
protein source, requirement, 95
Vitamin B_6-diet,
body composition, 1613*
Vitamin C megalevels,
immune response, 1324
Vitamin D status,
cadmium retention, 1586*
turkey, 1606*
turkey, bone mineral mass, 563
Vitamin D_3, 758
layers, performance data, 598
Vitamin E, 347, 1570*
Vitamin E-diet,
white muscle disease, selenium-diet, 2088
Vitamin E deficiency,
quail, 2352†
Vitamin E metabolism,
selenium deficiency, 1595*
T_2 toxin, 1594*
Vitamin requirements,
temperature-environment, 782
Vitamins-diet,
flip-overs, 927†
Vitelline membrane,
ultrastructure, mottled yolks, 2449
Vitellogenin, 874, 2776
Water consumption, 1951†
Water dispenser, 177†
Water equipment,
broiler, performance data, 489
Water pick-up,
broiler carcass, 1617*
Water restriction, 1643*
broiler, cage rearing, 211
Water-intermittent,
layers, temperature-environment, 961
Wattle,
giant cell formation, lectin induced, 2151
Wattle cell morphology,
phytohemagglutinin, 616
Wheat,
lysine assay, 799
metabolizable energy, 1337†
Wheat screening,
nutritive value, 333, 1674*

White muscle disease,
selenium-diet,
vitamin E-diet, 2088
White skin,
genetic mutation, 1637*
Xanthine dehydrogenase, 2250
Xanthophyll,
bioassay, 1442
Xanthophyll availabiliy,
genetic variance, 1460
Yeast,
egg yolk pigments, astaxanthin, 1777
Yeast-diet,
blood consituents, 1807
Yield characteristics,
smoked broilers, 1612*
Yield effects,
turkey, 1616*
Yolk precursor,
quail, genetics, 1644*
Yolk sac,
turkey, composition, 1521
Yucca saponin, 1625*
Zearalenone,
broiler, performance data, 531
estrogenic activity, 1592*
reproductive performance, 1577*
Zeolites, 1673*
Zinc bacitracin, 412, 1626*
Zinc toxicity,
layers, 2024
Zinc-tissues,
turkey, 1655*